

Blacklight BL368 Compact

Lynx-s 9W BL368

0025411



Range features

- These BL368 tubes emit an upgraded highly concentrated radiation with peak around 368nm. Flying insect - eye sensitivity is generally at or near this frequency
- 100% improvement in effectiveness (at 368nm)
- Depreciation of UV-A output over time is significantly reduced (80% at 5000hrs of original 100 hour output)
- Performs longer and better throughout the insect season
-
- Directions for use
- Maximum exposure limits are set by EN60335 2-59:1997 at an effective 1,0 milliWatt per metre squared (1,0 mW/m) measured at a distance of 1 metre - originally based on the recommendations of the National Radiological Protection Board in the UK. The irradiance value for a single BL BL368-lamp measured without reflector and/or fixture, in free air at 25 celsius, is varying between 0,2 and 0,4 mW/m depending on the wattage



PRODUCT OVERVIEW

Ordering number	0025411
Lamp finish	Quantum-365Nm
Cap/Base	G23
Type	Blacklight
EAN code	5410288254111
Watt (Nominal) (W)	9
Voltage (V)	60

Blacklight BL368 Compact

Lynx-s 9W BL368

0025411

DATA TABLE

General data

Ordering number	0025411
Lamp finish	Quantum-365Nm
Cap/Base	G23
Type	Blacklight
EAN code	5410288254111
E-number FI	4940704
Long description	These BL368 tubes emit an upgraded highly concentrated radiation with peak around 368nm. Flying insect - eye sensitivity is generally at or near this frequency. 100% improvement in effectiveness (at 368nm). Depreciation of UV-A output over time is significantly reduced (80% at 5000hrs of original 100 hour output). Performs longer and better throughout the insect season. . Directions for use. Maximum exposure limits are set by EN60335 2-59:1997 at an effective 1,0 milliWatt per metre squared (1,0 mW/m) measured at a distance of 1 metre - originally based on the recommendations of the National Radiological Protection Board in the UK. The irradiance value for a single BL BL368-lamp measured without reflector and/or fixture, in free air at 25 celsius, is varying between 0,2 and 0,4 mW/m depending on the wattage
Product name	Lynx-s 9W BL368
Special purpose lamp	Yes
Sales pack quantity	1

Electrical data

Watt (Rated) (W)	9
Watt (Nominal) (W)	9
Voltage (V)	60
Current (A)	0.17

Physical data



Weight (kg)	0.04
Lamp Length (mm) - C/L	165
Single packaging type	Box/Sleeve
Single package dimensions (L x W x H) (cm)	2.30 x 3.60 x 17.00
Outer package dimensions (L x W x H) (cm)	24.10 x 19.10 x 18.20

Blacklight BL368 Compact

Lynx-s 9W BL368

0025411

PHOTOMETRY



TECHNICAL DRAWINGS

