

64223 10 W 6 V

Low-voltage halogen lamps without reflector



Product features

- Xenon instead of krypton as the filler gas (XENOPHOT HLX versions)
- Luminous flux up to 10 % higher with same power consumption (XENOPHOT HLX versions)

Technical data

Electrical data


Nominal wattage	10 W
-----------------	------

Light technical data

Nominal luminous flux	150 lm
Luminous flux	150 lm

Dimensions & weight

Diameter	9.0 mm
Filament length	1.50 mm
Light center length (LCL)	24.0 mm
Length	38.0 mm
Filament diameter	0.7 mm



Product line drawing with letters

Base

Lifespan

Lifespan	300 h
----------	-------

Additional product data

Base (standard designation)	G4
-----------------------------	----

Capabilities

Burning position	hs30
------------------	------

Country specific categorizations

LIF	M/43
Order reference	64223



Burning position

Logistical Data

Product code	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Gross weight	Volume
4008321107039	Folding carton box 1	28 mm x 23 mm x 70 mm	3.00 g	0.05 dm ³
4008321107046	Shipping carton box 40	121 mm x 107 mm x 144 mm	200.00 g	1.86 dm ³

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.