

64627 HLX

Halogen lamps with reflector MR16



Product features

- Xenon instead of krypton as the filler gas (XENOPHOT HLX versions)
- Luminous flux up to 10 % higher with same power consumption (XENOPHOT HLX versions)


Technical data

Electrical data


Nominal wattage	100 W
-----------------	-------

Dimensions & weight

Diameter	51.0 mm
Length	42.0 mm



Product line drawing with letters



Base

Lifespan

Lifespan	50 h
----------	------

Additional product data

Base (standard designation)	GZ6.35
-----------------------------	--------

Additional product data

Coating	Dichroic
----------------	----------

Capabilities

Cooling	Forced
----------------	--------

Country specific categorizations

Order reference	64627 HLX
------------------------	-----------



Burning position

Logistical Data

Product code	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Gross weight	Volume
4050300006802	Folding carton box 1	46 mm x 46 mm x 58 mm	35.90 g	0.12 dm ³
4050300946436	Shipping carton box 20	123 mm x 105 mm x 238 mm	794.00 g	3.07 dm ³

References / Links

For further technical information please refer to the following OSRAM brochure:

“Technology and applications, Low-voltage tungsten-halogen lamps”

“Halogen lamps, low and medium voltage for entertainment, technical and medical applications” cross reference list

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.