


64663 HLX

Low-voltage halogen lamps without reflector



Product features

- Xenon instead of krypton as the filler gas (XENOPHOT HLX versions)
- Luminous flux up to 10 % higher with same power consumption (XENOPHOT HLX versions)



Technical data

Electrical data

Nominal wattage	400 W
Nominal voltage	36 V

Light technical data

Nominal luminous flux	16200 lm
Luminous flux	16000 lm

Dimensions & weight

Product line drawing

Diameter	15.0 mm
Length	60.0 mm
Filament diameter	4.9 mm

Lifespan

Lifespan	50 h
----------	------

Additional product data

Base (standard designation)	G6.35
-----------------------------	-------

Certificates & standards

EEI – Energy Label	B
--------------------	---

Country specific categorizations


Order reference	64663 HLX
-----------------	-----------

Product datasheet

Country specific information

Product code	METEL code	SEG number	STK number	UK Org
4050300006741	OSRH6466340	8327826	4739434	-

Product datasheet



Burning position

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Volume	Gross weight
4050300006741	64663 HLX	Folding carton box 1	25 mm x 23 mm x 70 mm	0.04 dm ³	6.88 g
4050300890937	64663 HLX	Shipping carton box 40	121 mm x 107 mm x 144 mm	1.86 dm ³	361.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.