


64664 HLX

Low-voltage halogen lamps without reflector



Product features

- Xenon instead of krypton as the filler gas (XENOPHOT HLX versions)
- Luminous flux up to 10 % higher with same power consumption (XENOPHOT HLX versions)



Technical data

Electrical data

Nominal wattage	400 W
Nominal voltage	36 V

Light technical data

Luminous flux	14500 lm
---------------	----------

Dimensions & weight

Product line drawing

Diameter	18.0 mm
Length	57.0 mm
Filament diameter	5.0 mm

Lifespan

Lifespan	150 h
----------	-------

Additional product data

Base (standard designation)	G6.35
-----------------------------	-------

Certificates & standards

EEI – Energy Label	B
--------------------	---

Country specific categorizations


Order reference	64664 HLX
-----------------	-----------

Product datasheet

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321241474	OSRH64664HLX	-	-	-

Product datasheet



Burning position

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Volume	Gross weight
4008321241474	64664 HLX	Folding carton box 1	25 mm x 23 mm x 70 mm	0.04 dm ³	9.00 g
4008321241481	64664 HLX	Shipping carton box 40	121 mm x 127 mm x 126 mm	1.94 dm ³	401.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.