

## 64665 HLX


Low-voltage halogen lamps without reflector



---

### Product features

- Xenon instead of krypton as the filler gas (XENOPHOT HLX versions)
- Luminous flux up to 10 % higher with same power consumption (XENOPHOT HLX versions)



## Product datasheet

---

### Technical data

---

#### Electrical data

Nominal wattage	400 W
Nominal voltage	36 V

#### Light technical data

Nominal luminous flux	12800 lm
Luminous flux	12200 lm

#### Dimensions & weight

---

---

#### Product line drawing

Diameter	18.0 mm
Length	60.0 mm
Filament diameter	5.3 mm

#### Lifespan

Lifespan	300 h
----------	-------

#### Additional product data

Base (standard designation)	G6.35
-----------------------------	-------


#### Certificates & standards

EEI – Energy Label	B
--------------------	---

#### Country specific categorizations

Order reference	64665 HLX
-----------------	-----------

## Product datasheet



---

Burning position

---

### Logistical Data

---

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Volume	Gross weight
4008321833815	64665 HLX	Folding carton box 1	- x - x -		
4008321833822	64665 HLX	Shipping carton box 40	- x - x -		

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

---

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.