

64805 5000 W 230 V

Halogen studio lamps, single-ended



- Professional film and TV work
- Theater and concert stages
- Entertainment

Product features

- Operation at mains voltage: 120 V | 230 V | 240 V
- Color temperature: 3,000 K (with longer lifespan)
- Color temperature: 3,200 K (for professional film and TV work)

Technical data

Electrical data


Nominal wattage	5000 W
Nominal voltage	230 V

Light technical data


Nominal luminous flux	135000 lm
Luminous flux	135000 lm
Color temperature	3200 K

Dimensions & weight

Diameter	60.0 mm
Filament length	26.00 mm
Light center length (LCL)	165.0 mm
Length	279.0 mm
Filament diameter	33.0 mm



Product line drawing



Base

Lifespan

Lifespan	400 h
----------	-------

Additional product data

Base (standard designation)	G38
-----------------------------	-----

Capabilities


Burning position	s45
------------------	-----

Country specific categorizations


LIF	CP/85
Order reference	64805

Safety advice

To prevent personal injury or damage to property, halogen lamps may only be operated in suitable luminaires designed with suitable mechanisms (protective shields, grids, etc.) to ensure that in the event of a lamp bursting no parts/shards can escape and that during operation no ultraviolet radiation can escape. There must also be a warning sign to indicate that the lamps give off high levels of heat. Detailed information is available on request.



Burning position



Burning position

Logistical Data

Product code	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Gross weight	Volume
4008321893604	Shipping carton box 1	- x - x -		
4052899016033	Shipping carton box 6	- x - x -		

References / Links

A summary of studio lamps can be found on the halogen studio lamps poster.
For more information on halogen lamps for studio, stage and TV see the brochure:
"Good news for show business"
"Halogen High Voltage Lamps" cross reference list

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.