



## 6820P 500W GY9.5 230V 1CT

Product family description  
Single-ended quartz halogen lamps with M-shape or  
biplane filament  
Most lamps have P3 technology

### Product Features

- Staggered filament construction emits up to 25% more light from the focal point of the optical system, depending on the type of luminaire
- Designed for use in luminaires where longer life is of greater importance
- P3 technology for Reliability, Quality and Freedom:
- Reliability - longer lifetime with fewer early failures
- Quality - excellent storage characteristics and consistent performance over time
- Freedom - in both luminaire design and burning position

### Application


- Stage and theatre lighting
- Effect lighting for discos and shows

Product data	
Order code	184603 25
Full product code	871150018460325
loccod	
Full product name	6820P 500W GY9.5 230V 1CT
Order product name	6820P 500W GY9.5 230V 1CT/10
Packing type	1 Carton
Pieces per pack	1
Packing configuration	10
Packs per outerbox	10
Bar code on pack - EAN1	8711500184603
Bar code on intermediate packing - EAN2	
Bar code on outerbox - EAN3	8711500184610
Logistic code(s) - 12NC	9238 940 43228
ILCOS code	
Net weight per piece	24.700 GR
Successor order code	


Product data	
Philips Code	6820P
ANSI Code	GCV/GVH
LIF Code	T/25 (T/18)
System Description	P3 Technology
Cap-Base	GY9.5
Bulb Finish	Clear
Filament Shape	Bi-Plane
Burning Position	any
Main Application	Entertainment
Life to 50% failures	360 hr
Rated Lamp Wattage	500W
Voltage	230V
Rapid Acting HBC Fuse	4 V
Lamp Luminous Flux	11000 Lm
Filament Dimensions (WxH) [mm]	11x13



XHSTSE GY9.5



Cap-Base GY9.5



Burning Position any

---

	C	C	D	D	L	L
Full product name	Max	Max	Max	Max	Nom	Nom
6820P GCV/ GVH 500W 230V	90	90	22	22	46.5	46.5

---

