

MASTER PL-C 2 Pin

MASTER PL-C 18W/840/2P 1CT

MASTER PL-C is an efficient medium-wattage compact fluorescent lamp, typically used in general downlights for retail, hospitality and office applications. The original Philips-invented bridge technology guarantees optimum performance in the application, enabling more light and higher efficacy than the bended technology. The 2-pin version is designed for operation on electromagnetic gear and is provided with a plug-in/pull-out lamp base.

Product data

• General Characteristics

Cap-Base Cap-Base Information Life to 10% failures FM	G24d-2 2P 6500 hr
Life to 50% failures	10000 hr
LSF EM 2000h Rated,	99 %
3h cycle LSF EM 4000h Rated,	98 %
3h cycle LSF EM 6000h Rated,	92 %
3h cycle LSF EM 8000h Rated, 3h cycle	78 %
Shicker	

• Light Technical Characteristics

Color Code Color Rendering Index	840 [CCT of 4000K] 82 Ra8
Color Designation (text)	Cool White
Color Temperature	4000 K
Luminous Flux EM 25°C, Rated	1200 Lm
Luminous Flux EM 25°C, Nominal	1200 Lm
Lum Efficacy Rated	67 Lm/W
LLMF EM 2000h Bated	92 %
LLMF EM 4000h	87 %
Rated LLMF EM 6000h Rated	84 %



LLMF EM 8000h	81 %
Rated	
Design Temperature	28 C
Chromaticity Coor-	380 -
dinate X	
Chromaticity Coor-	380 -
dinate Y	

• Electrical Characteristics

Lamp Wattage	18 W
Lamp Wattage EM 25°C, Nominal	18 W
Lamp Wattage EM	17.9 W
25°C, Rated	
Lamp Voltage EM 25°C	95 V
Lamp Current EM 25°C	0.230 A
Dimmable	No

• Environmental Characteristics

Energy Efficiency	В
Label (EEL)	
Mercury (Hg)	1.4 mg
Content	
Energy consumption	22 kWh
kWh/1000h	

• Product Dimensions

Base Face to Base	109.7 (max) mm
Face A	
Insertion Length B	128.0 (max) mm
Overall Length C	150.4 (max) mm
Diameter D	27.1 (max) mm







MASTER PL-C 2 Pin

Diameter D1	27.1 (max) mm
• Product Data	
<u> </u>	00700570 (0 (0

Order code92Full product code92Full product nameMAOrder product nameMASXSXPieces per pack1Packing configurationSXPacks per outerbox50


927905784040 927905784040 MASTER PL-C 18W/840/2P 1CT MASTER PL-C 18W/840/2P 1CT/ 5X10CC 1 5X10CC 50


Bar code on pack - EAN1	8711500620934
Bar code on inter- mediate packing - EAN2	8711500621238
Bar code on outerbox - EAN3	8711500715784
Logistic code(s) - 12NC	927905784040
LCOS code Net weight per piece	FSQ-18/40/1B-I-G24d=2 57.800 gr

Warnings and Safety

- Use only with electromagnetic control gear
- Lamp light technical and electrical characteristics are influenced by operating conditions, i.e. lamp ambient temperature and operating position

Dimensional drawing






D1

MASTER PL-C 18W/840/2P 1CT


• Dimming is not possible

Product	A (Max)	B (Max)	C (Max)	D (Max)	D1 (Max)
PL-C 18W/840/2P	109.7	128.0	150.4	27.1	27.1



2014, April 11 data subject to change

Photometric data





© 2014 Koninklijke Philips N.V. (Royal Philips) All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting