



# Actinic BL TL-E

## Actinic BL TL-E 22W/10 1CT/20

With an optimized spectrum matching the eye sensitivity of the housefly, Actinic BL TL(-K)/TL-D(-K)/TL-E/PL-S and PL-L lamps are perfect for attracting insects. They have virtually no UV-B output, and so are perfectly safe. What's more, with the lowest mercury content in the industry and being 100% lead-free, these lamps represent a very good environmental choice. Furthermore, the availability of a wide range of form factors (straight (T5, T8, T12), circular (TL-E) and compact (PL-S/PL-L)) and wattages enables you to make all kinds of designs for your electronic fly killers.

### Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

### Product data


General Information	
Cap-Base	G10Q [ G10q]
Main Application	Insect traps
Life to 50% Failures (Nom)	9000 h
Useful Life (Nom)	4000 h
Light Technical	
Color Code	10
Color Designation	Ultra Violet A
UV Depreciation at 2000 h	15 %
UV Depreciation at 5000 h	25 %
Operating and Electrical	
Power (Nom)	22 W
Lamp Current (Nom)	0.4 A

Voltage (Nom)	62 V
Approval and Application	
Mercury (Hg) Content (Nom)	8 mg
UV	
UV-B/UV-A (IEC)	0.1 %
UV-A Radiation 100Hr (IEC)	3.1 W
Product Data	
Full product code	871150028513305
Order product name	Actinic BL TL-E 22W/10 1CT/20
EAN/UPC - Product	8711500285133
Order code	928026201005
Numerator - Quantity Per Pack	1

## Actinic BL TL-E

Numerator - Packs per outer box	20
Material Nr. (12NC)	928026201005
Net Weight (Piece)	0.110 kg


### Dimensional drawing




Product	D (max)	D (min)	F (max)	F (min)	E (min)	E (max)
Actinic BL TL-E 22W/10 1CT/20	30.9 mm	26.2 mm	155.6 mm	149.1 mm	205.0 mm	213.5 mm

TL-E 22W/10

### Photometric data



XDPB\_XURTLE\_10-Spectral power distribution B/W



XDPO\_XURTLE\_10-Spectral power distribution Colour

