



MASTER TL-D Food

MASTER TL-D Food 36W/79 SLV/25

The TL-D Food lamp makes the appearance of meat and bakery products more fresh and tasty. It can be applied for food illumination in butcher shops, bakeries, supermarkets etc.

Warnings and Safety

• A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data


General Information			
Cap-Base	G13 [Medium Bi-Pin Fluorescent]		
Life to 50% Failures (Nom)	15000 h		
Life to 50% Failures Preheat (Nom)	20000 h		
Light Technical			
Color Code	79		
Luminous Flux (Nom)	1750 lm		
Color Designation	Food		
Lumen Maintenance 2000 h (Nom)	90 %		
Lumen Maintenance 5000 h (Nom)	85 %		
Correlated Color Temperature (Nom)	3800 K		
Luminous Efficacy (rated) (Nom)	49 lm/W		
Color Rendering Index (Nom)	74		
Operating and Electrical			
Power (Nom)	36.0 W		
Lamp Current (Nom)	0.440 A		

Voltage (Nom)	103 V		
Controls and Dimming			
Dimmable	Yes		
Approval and Application			
Energy Efficiency Label (EEL)	В		
Mercury (Hg) Content (Nom)	5.0 mg		
Energy Consumption kWh/1000 h	43 kWh		
Product Data			
Full product code	871150070622540		
Order product name	MASTER TL-D Food 36W/79 SLV/25		
EAN/UPC - Product	8711500706225		
Order code	928048502043		
Numerator - Quantity Per Pack	1		
Numerator - Packs per outer box	25		
Material Nr. (12NC)	928048502043		
Net Weight (Piece)	135.000 g		

Datasheet, 2020, November 18 data subject to change

ILCOS Code FD-36/38/2A-E-G13


Dimensional drawing




Product	D (max)	A (max)	B (max)	B (min)	C (max)
MASTER TL-D Food	28 mm	1199.4 mm	1206.5 mm	1204.1 mm	1213.6 mm
36W/79 SLV/25					

TL-D Food 36W/79

Photometric data







LDPB_TL-DFOOD_79-Spectral power distribution B/W

LDPO_TL-DFOOD_79-Spectral power distribution Colour

Lifetime






LDLE_TL-DFOOD_0002-Life expectancy diagram

LDLE_TL-DFOOD_0001-Life expectancy diagram

MASTER TL-D Food

Lifetime



LDLM_TL-DFOOD_0001-Lumen maintenance diagram



© 2020 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.