



HPL-N

HPL-N 125W E27 SG 1CT

Standard High Pressure Mercury lamp

Product data

• General Characteristics

Cap-Base	E27
Bulb	E75 [E 75mm]
Bulb Material	Soft Glass
Bulb Finish	Coated
Operating Position	any [Any or Universal (U)]
Life to 5% failures	6000 hr
Life to 20% failures	10000 hr
Life to 50% failures	16000 hr
LSF EM 2000h Rated, 12h cycle	99 %
LSF EM 4000h Rated, 12h cycle	98 %
LSF EM 6000h Rated, 12h cycle	95 %
LSF EM 8000h Rated, 12h cycle	92 %
LSF EM 12000h Rated, 12h cycle	80 %
LSF EM 16000h Rated, 12h cycle	68 %
LSF EM 20000h Rated, 12h cycle	50 %

• Light Technical Characteristics

Color Code	542 [CCT of 4200K]
Color Rendering Index	46 Ra8
Color Designation (text)	Cool White
Color Temperature	4200 K
Luminous Flux EM 25°C, Rated	6200 Lm
Lum Efficacy Rated EM 25°C	50 Lm/W

Lumen Maintenance 2000h	90 %
Lumen Maintenance 5000h	85 %
LLMF EM 2000h Rated	92 %
LLMF EM 4000h Rated	91 %
LLMF EM 6000h Rated	89 %
LLMF EM 8000h Rated	88 %
LLMF EM 12000h Rated	85 %
LLMF EM 16000h Rated	80 %
LLMF EM 20000h Rated	76 %
Chromaticity Coordinate X	374 -
Chromaticity Coordinate Y	373 -

• Electrical Characteristics

Lamp Wattage	125 W
Lamp Wattage EM 25°C, Nominal	125.0 W
Lamp Wattage EM 25°C, Rated	125.0 W
Lamp Voltage	125 V
Lamp Current EM	1.15 A
Dimmable	No

PHILIPS

- Environmental Characteristics

Energy Efficiency Label (EEL)	B
Mercury (Hg) Content	19.0 mg
Energy consumption kWh/1000h	137 kWh

- Luminaire Design Requirements

Cap-Base Temperature	200 (max) C
Bulb Temperature	350 (max) C

- Product Dimensions

Overall Length C	173 (max) mm
Diameter D	76 (max) mm


- Product Data

Order code	928052007395
Full product code	928052007395
Full product name	HPL-N 125W E27 SG 1CT
Order product name	HPL-N 125W E27 SG 1CT/24
Pieces per pack	1
Packing configuration	24
Packs per outerbox	24
Bar code on pack - EAN1	8711500180124
Bar code on outerbox - EAN3	8711500199911
Logistic code(s) - 12NC	928052007395
ILCOS code	QE-125/41/3-H-E27
Net weight per piece	0.070 kg

Warnings and Safety

- For use with control gear designed for high-pressure mercury lamps

Dimensional drawing




HPL-N 125W E27 SG 1CT

Product	C (Max)	D (Max)
HPL N 125W E27 SG	173	76



E27

Photometric data



© 2014 Koninklijke Philips N.V. (Royal Philips)
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2014, October 31
data subject to change