

# MASTER LEDspot PAR

# MASTER LEDspot D 6.5-50W 4000K PAR20 40D

With its robust design and warm-white beam of light, these newgeneration PAR lamps are ideal for general lighting and spot lighting in the hospitality industry. There is a choice of dimmable and nondimmable versions. They are especially suitable for public areas such as lobbies, corridors, stairwells, where the light is always on. Compatible with existing fixtures with an E27 holder and designed for retrofit replacement of halogen/incandescent lamps, MASTER LEDspot PAR deliver huge energy savings and minimize maintenance cost without any reduction in brightness. The IP44-rated outdoor version of the PAR 38 lamp is one of the few energy-saving alternatives to incandescent PAR38 outdoor lamps available today. The dimmable PAR 20 is a perfect replacement for an incandescent spot.

## Product data

#### • General Characteristics

| Cap-Base         | F27              |
|------------------|------------------|
| Bulb             | PAR20 [PAR20 mm] |
| Rated Lifetime   | 40000 hr         |
| (hours)          |                  |
| Nominal Lifetime | 40000 hr         |
| hours            |                  |

#### • Light Technical Characteristics

Color Code Color Designation (text) Beam Angle Beam Description Correlated Color Temperature Luminous Flux Luminous Intensity Color rendering index Luminous Efficacy Lamp Color Temperature Rated Luminous Flux Colour consistency Luminous flux in 90°

cone

#### Electrical Characteristics

| Wattage           | 6.5 W     |
|-------------------|-----------|
| Wattage Technical | 6.5 W     |
| Voltage           | 220-240 V |
| Line Frequency    | 50-60 Hz  |
| Power Factor      | 0.65 -    |
| Lamp Current mA   | 43 mA     |



Cool White 40 D 40D [Medium beam] 4000 K 460 Lm 810 cd 80

CW

70.77 Lm/W

4000 K [CCT 4000K] 460 Lm 6 steps 430 Lm

T-case maximum 80 C • Environmental characteristics Energy Efficiency A+ Label (EEL) Measuring Conditions Switching cycle 50000X • Product Dimensions Overall Length C 90.2 mm Diameter D 63.7 mm

Yes

50 W

#### • Product Data

Dimmable

Wattage Equivalent

• Temperature Characteristics

Order code Full product code Full product name

Order product name

Pieces per pack Packing configuration Packs per outerbox Bar code on pack -EAN1 Bar code on outerbox - EAN3

929000174902 929000174902 MASTER LEDspot D 6.5-50W 4000K PAR20 40D MASTER LEDspot D 6.5-50W 4000K PAR20 40D

8727900934106

6

8727900934113




# MASTER LEDspot PAR

Logistic code(s) -12NC

929000174902

0.156 kg Net weight per piece

# Dimensional drawing




| MASTER LEDspot D 6.5-50W 4000K PAR20 40D |   |          |          |  |
|--|---|----------|----------|--|
|  | Product                                 | C (Norm) | D (Norm) |  |
|  | LED 6.5W E27 CW 220-240V PAR20 40D Dimm | 90.2     | 63.7     |  |



E27

### Photometric data





© 2014 Koninklijke Philips N.V. (Royal Philips) All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting