

# MASTER LEDspot MV

# MASTER LEDspotMV D 8-50W GU10 827 25D

Delivering a warm, halogen-like accent beam, MASTER LEDspot MV is a perfect fit for spot lighting (track, corridors, lift lobbies, display cases and cabinets) in the hospitality industry. It is particularly suitable to public areas where the light is on 24/7, such as lobbies, corridors, stairwells. MASTER LEDspot MV delivers huge energy savings and minimizes maintenance cost without any compromise on brightness, enabling hospitality owners to achieve a return on their investment within one year. These LEDspots are compatible with most existing fixtures with a GU10 holder and designed as a retrofit replacement for halogen or incandescent spots. The dimmable versions drive further efficiencies, while helping to create the desired atmosphere.

## Product data

#### • General Characteristics

Cap-Base	GU10
Bulb	PAR16 [PAR 2inch]
Rated Lifetime	40000 hr
(hours)	
Nominal Lifetime	40000 hr
hours	

#### • Light Technical Characteristics

•	
Color Code	WW
Color Designation	Warm Whit
(text)	
Beam Angle	25 D
Beam Description	- [-]
Correlated Color	2700 K
Temperature	
Luminous Flux	430 Lm
Luminous Intensity	1800 cd
Color rendering	80
index	
Luminous Efficacy	53.75 Lm/W
Lamp	
Color Temperature	2700 K [CC
Rated Luminous Flux	430 Lm
LLMF - end nominal	70 %
lifetime	
Colour consistency	6 steps
Rated Beam Angle	25 D
Luminous flux in 90°	410 Lm
cone	

#### • Electrical Characteristics

Wattage	8 W
Wattage Technical	8.0 W
Voltage	220-240 V



N Irm White	
D ] 00 K	
) Lm )0 cd	
75 Lm/W	
00 K [CCT 2700K] ) Lm %	
ceps D ) Lm	

- 50-60 Hz Line Frequency 0.9 -Power Factor Lamp Current mA 40 mA Dimmable Yes Wattage Equivalent 50 W Rated Wattage 8.0 W Starting Time 0.5 (max) s Warm-up Time to instant full light 60% Light Outp Suitable for accent Yes lighting • Temperature Characteristics T-case maximum 95 C • Environmental characteristics Energy Efficiency A Label (EEL)
- Measuring Conditions 50000X

Switching cycle

- Product Dimensions
- Overall Length C Diameter D

80 mm 50 mm

• Product Data

Order code Full product code Full product name

929000213632 929000213632 MASTER LEDspotMV D 8-50W GU10 827 25D



# MASTER LEDspot MV

Order product name	MAS LEDspotMV D 8-50W GU10 827 25D
Pieces per pack	1
Packing configuration	6
Packs per outerbox	6
Bar code on pack -	8718291682318
EAN1	

# Warnings and Safety

 Bar code on
 8718291682325

 outerbox - EAN3

 Logistic code(s) 929000213632

 12NC

 Net weight per piece
 0.116 kg


• Only to apply in dry or damp locations and most of open fixtures with lamp-holders that offer sufficient space (10 mm free air space)


• Operating temperature range is between -20° C and 45° C ambient • Not intended for use with emergency light fixtures or exit lights

### Dimensional drawing

MASTER LEDspotMV D 8-50W GU10 827 25D

Product	C (Norm)	C1 (Max)	D (Norm)	D1 (Norm)
LED D 8-50W+ GU10 WW 25D	80	-	50	-





GU10



© 2014 Koninklijke Philips N.V. (Royal Philips) All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting