

Ecofit Ledtubes T8

LEDtube 1200mm 16W 740 T8 AP C G

Upgrade to efficient, long-lasting LED tubes with the Ecofit LED tubes. Ecofit LED tubes are a fast and easy way to replace your old fluorescent tubes with modern, efficient LED technology. Good quality of light with a natural lighting effect for use in general lighting applications with low initial investment – an environmentally friendly solution.

Product data


General information		Power Factor (Nom)		0.5	
Cap-Base	G13 [Medium Bi-Pin Fluorescent]	Voltage (Nom)		220-240 V	
EU RoHS compliant	Yes	Temperature			
Nominal Lifetime (Nom)	15000 h	T-Ambient (Max)		45 °C	
Switching Cycle	50000X	T-Ambient (Min)		-20 °C	
Light technical		T-Storage (Max)		65 °C	
Color Code	740 [CCT of 4000K]	T-Storage (Min)		-40 °C	
Beam Angle (Nom)	240 °	T-Case Maximum (Nom)		60 °C	
Luminous Flux (Nom)	1600 lm	Controls and dimming			
Color Designation	Cool White (CW)	Dimmable		No	
Correlated Color Temperature (Nom)	4000 K	Mechanical and housing			
Luminous Efficacy (rated) (Nom)	100.00 lm/W	Product Length		1200 mm	
Color Consistency	<7	Bulb Shape		Tube, double-ended	
Color Rendering Index (Nom)	73	Approval and application			
LLMF At End Of Nominal Lifetime (Nom)	70 %	Energy Saving Product		Yes	
Operating and electrical		Suitable For Accent Lighting		No	
Input Frequency	50 to 60 Hz	Approval Marks		RoHS compliance KEMA Keur certificate	
Power (Nom)	16 W				
Starting Time (Nom)	0.5 s				
Warm Up Time to 60% Light (Nom)	0.5 s				

Ecofit Ledtubes T8

Energy Consumption kWh/1000 h	16 kWh
Product data	
Full product code	871869652501200
Order product name	LEDtube 1200mm 16W 740 T8 AP C G
EAN/UPC - Product	8718696525012
Order code	929001184508

Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001184508
Net Weight (Piece)	0.210 kg


Dimensional drawing




LEDtube 1200mm 16W 740 T8 AP C G

Product	D1	D2	A1	A2	A3	C	D
LEDtube 1200mm	25.68	28 mm	1198	1205	1212	1212	27.8
16W 740 T8 AP C G	mm		mm	mm	mm	mm	mm


Photometric data



LEDtube 600mm 8W 740 T8 CN I G



LEDtube 1200mm 16W 740 T8 CN I G



LEDtube 1200mm 16W G13 T8 740 1600lm AP C G



Ecofit Ledtubes T8

Lifetime




LEDtube 16W G13 740 T8 AP I G

LEDtube 16W G13 740 T8 AP I G



LEDtube 16W G13 740 T8 AP I G

LEDtube 16W G13 740 T8 AP I G



LEDtube 16W G13 740 T8 AP I G

Ecofit Ledtubes T8

