

Classic filament LEDbulbs

4.5G25/VIN/822/E26/CL/GL/DIM 4/1BC

Featuring a classic heritage design, Classic filament LEDbulbs combine the familiar shapes of classic incandescent bulbs with the benefits of the long lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light bulbs.

Product data

General information	
Cap-Base	E26 [Single Contact Medium Screw]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	20000X
Light technical	
Color Code	822 [CCT of 2200K]
Luminous Flux (Nom)	300 lm
Color Designation	Flame
Correlated Color Temperature (Nom)	2200 K
Luminous Efficacy (rated) (Nom)	66.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and electrical	
Input Frequency	60 Hz
Power (Nom)	4.5 W
Lamp Current (Nom)	40 mA

Wattage Equivalent	25 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.7
Voltage (Nom)	120 V
Temperature	
T-Case Maximum (Nom)	50 °C
Controls and dimming	
Dimmable	Yes
Mechanical and housing	
Bulb Finish	Clear
Bulb Shape	G25 (G25)
Approval and application	
Energy Certifications	No


Classic filament LEDbulbs

Product data

Order product name	4.5G25/VIN/822/E26/CL/GL/DIM 4/1BC
EAN/UPC - Product	046677470418
Order code	929001335443
Numerator - Quantity Per Pack	1

Numerator - Packs per outer box	4
Material Nr. (12NC)	929001335443
Net Weight (Piece)	0.040 kg


Dimensional drawing




4.5G25/VIN/822/E26/CL/GL/DIM 4/1BC

Product	D	C
4.5G25/VIN/822/E26/CL/GL/DIM 4/1BC	80 mm	119 mm


Photometric data



LEDbulb CLA 4,5W G25 E26 822 CL-POC



LEDbulb CLA 4,5W G25 E26 822-GUL



LEDbulb CLA G25 4,5W E26 822 CL-LDD

Classic filament LEDbulbs

Lifetime



Life Expectancy Diagram

Lumen Maintenance Diagram

