



CorePro LEDspot MV

ESSLEDspot 6W 500lm GU10 827 120D ND RCA

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. These GU10 LED spot lights are compatible with most existing fixtures with a GU10 LED base and are designed as a retrofit replacement for halogen or incandescent spots. CorePro LEDspots deliver significant energy savings and minimize maintenance costs.

Product data

General information		
Cap-Base	GU10 [GU10]	
EU RoHS compliant	Yes	
Nominal Lifetime (Nom)	15000 h	
Switching Cycle	30000X	
Light technical		
Color Code	827 [CCT of 2700K]	
Beam Angle (Nom)	120 °	
Luminous Flux (Nom)	500 lm	
Color Designation	Warm White (WW)	
Correlated Color Temperature (Nom)	2700 K	
Luminous Efficacy (rated) (Nom)	90.00 lm/W	
Color Consistency	<6	
Color Rendering Index (Nom)	80	
LLMF At End Of Nominal Lifetime (Nom) 70 %		
Operating and electrical		
Input Frequency	50 to 60 Hz	
Power (Nom)	5.5 W	
Lamp Current (Nom)	58 mA	
Starting Time (Nom)	0.5 s	

Warm Up Time to 60% Light (Nom)	0.4 s
Power Factor (Nom)	0.54
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	68 ℃
Controls and dimming	
Dimmable	No
Mechanical and housing	
Bulb Shape	PAR16 [PAR 2 inch]
Approval and application	
Suitable For Accent Lighting	No
Energy Consumption kWh/1000 h	6 kWh
Product data	
Full product code	871951440837100
Order product name	ESSLEDspot 6W 500lm GU10 827 120D ND
	RCA
EAN/UPC - Product	8719514408371
-	-


Datasheet, 2022, April 12 data subject to change

CorePro LEDspot MV

Order code	929001372017
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001372017

Net Weight (Piece)	0.032 kg	
--------------------	----------	--


Dimensional drawing




ESSLEDspot 6W 500lm GU10 827 120D ND RCA

Product D C ESSLEDspot 6W 500lm GU10 827 120D ND RCA 50 mm 58 mm


Photometric data



LEDspots RCA 5,5W PAR16 GU10 827 120D-POC



LEDspots RCA 5,5W PAR16 GU10 827 120D-LDD





Calculat Procurences 43 Philips Updang BV. Repr 15

LEDspots RCA 5,5W PAR16 GU10 827 120D-GUL

CorePro LEDspot MV

Lifetime





Life Expectancy Diagram

Lumen Maintenance Diagram

