

# CorePro Glass LED bulbs

## CorePro LEDBulbND 7-60W B22 A60 827 CL G

Featuring a classic heritage design, these filament LED lamps combine the familiar shapes of classic incandescent bulbs with the benefits of long-lasting LED technology. A very easy choice for people who are looking for a retrofit LED replacement, these CorePro LED bulbs provide 90% energy savings compared with conventional lamps. CorePro Glass LED bulbs provide excellent quality of light in a vintage style. CorePro LED lighting that offers a lifetime of 15,000 hours to reduce maintenance costs.

### Product data

| General information                   |                     |
|---------------------------------------|---------------------|
| Cap-Base                              | B22 [ B22]          |
| EU RoHS compliant                     | Yes                 |
| Nominal Lifetime (Nom)                | 15000 h             |
| Switching Cycle                       | 20000X              |
| Flux measurement reference            | Sphere              |
| Light technical                       |                     |
| Color Code                            | 827 [ CCT of 2700K] |
| Luminous Flux (Nom)                   | 806 lm              |
| Color Designation                     | Warm White (WW)     |
| Correlated Color Temperature (Nom)    | 2700 K              |
| Luminous Efficacy (rated) (Nom)       | 115.00 lm/W         |
| Color Consistency                     | <6                  |
| Color Rendering Index (Nom)           | 80                  |
| LLMF At End Of Nominal Lifetime (Nom) | 70 %                |


| Operating and electrical        |             |
|---------------------------------|-------------|
| Input Frequency                 | 50 to 60 Hz |
| Power (Nom)                     | 7 W         |
| Lamp Current (Nom)              | 60 mA       |
| Wattage Equivalent              | 60 W        |
| Starting Time (Nom)             | 0.5 s       |
| Warm Up Time to 60% Light (Nom) | 0.5 s       |
| Power Factor (Nom)              | 0.51        |
| Voltage (Nom)                   | 220-240 V   |
| Temperature                     |             |
| T-Case Maximum (Nom)            | 45 °C       |
| Controls and dimming            |             |
| Dimmable                        | No          |
| Mechanical and housing          |             |
| Bulb Finish                     | Clear       |

## CorePro Glass LED bulbs

|                                 |                 |
|---------------------------------|-----------------|
| Bulb Shape                      | A60 [ A 60mm]   |
| <b>Approval and application</b> |                 |
| Energy Efficiency Class         | E               |
| Energy Consumption kWh/1000 h   | 7 kWh           |
| EPREL Registration Number       | 387391          |
| <b>Product data</b>             |                 |
| Full product code               | 871951434673400 |

|                                 |  |
|---------------------------------|--|
| Order product name              | CorePro LEDBulbND 7-60W B22 A60 827 CL G |
| EAN/UPC - Product               | 8719514346734                            |
| Order code                      | 929001387492                             |
| Numerator - Quantity Per Pack   | 1  |
| Numerator - Packs per outer box | 10                                       |
| Material Nr. (12NC)             | 929001387492                             |
| Net Weight (Piece)              | 0.028 kg                                 |


### Dimensional drawing




CorePro LEDBulbND 7-60W B22 A60 827 CL G

| Product                                  | D     | C      |
|--|-------|--------|
| CorePro LEDBulbND 7-60W B22 A60 827 CL G | 60 mm | 104 mm |

### Photometric data




LEDbulb 60W B22 827 CL A60 ND



LEDbulb 60W E27 827 CL A60 ND


# CorePro Glass LED bulbs

## Photometric data




LEDbulb 60W E27 827 CL A60 ND

## Lifetime



LEDbulb 60W E27 827 CL A60 ND



LEDbulb 60W E27 827 CL A60 ND

