



LED MR16

LED MR16 4.5-50W 36D 865 SO 100-240V 5PK



Philips LED MR-16 lamps with single optic technology provide the look and color quality of traditional halogens while using a fraction of the energy. A perfect fit for spot lighting, they are compatible with most existing fixtures with MR16 GU5.3 holders and are designed as a retrofit replacement for halogen or incandescent spots.

Product data

General information		Starting Time (Nom)	
Cap-Base	GU5.3 [GU5.3]	Starting Time (Nom)	0.5 s
EU RoHS compliant	Yes	Warm Up Time to 60% Light (Nom)	0.5 s
Nominal Lifetime (Nom)	15000 h	Power Factor (Nom)	0.4
Switching Cycle	50000X	Voltage (Nom)	100-240 V
Light technical		Temperature	
Color Code	865 [CCT of 6500K]	T-Case Maximum (Nom)	65 °C
Beam Angle (Nom)	36 °	Controls and dimming	
Luminous Flux (Nom)	400 lm	Dimmable	No
Luminous Intensity (Nom)	700 cd	Mechanical and housing	
Color Designation	Cool Daylight	Bulb Shape	MR16 [2inch/50mm]
Correlated Color Temperature (Nom)	6500 K	Approval and application	
Luminous Efficacy (rated) (Nom)	88.00 lm/W	Suitable For Accent Lighting	Yes
Color Consistency	<6	Product data	
Color Rendering Index (Nom)	80	Order product name	LED MR16 4.5-50W 36D 865 SO 100-240V 5PK
LLMF At End Of Nominal Lifetime (Nom)	70 %	EAN/UPC - Product	50046677563184
Operating and electrical		Order code	929001874151
Input Frequency	50 to 60 Hz		
Power (Nom)	4.5 W		
Wattage Equivalent	50 W		

LED MR16

Lifetime



50W GU5-3 MR16

50W GU5-3 MR16

