



# MASTER LEDspot PAR

## Master LED 12-120W PAR30s 865 25D EER1

With its robust design and warm-white beam of light, these new-generation PAR lamps are ideal for general lighting and spot lighting in the hospitality industry. There is a choice of dimmable and non-dimmable versions. They are especially suitable for public areas such as lobbies, corridors, stairwells, where the light is always on.

### Product data

General information	
Cap-Base	E26 [ Single Contact Medium Screw]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Technical Type	12-120W
Light technical	
Color Code	865 [ CCT of 6500K]
Beam Angle (Nom)	25 °
Luminous Flux (Nom)	1300 lm
Luminous Intensity (Nom)	3200 cd
Color Designation	Cool Daylight
Correlated Color Temperature (Nom)	6500 K
Luminous Efficacy (rated) (Nom)	108.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	12 W
Lamp Current (Nom)	60 mA


Wattage Equivalent	120 W
Starting Time (Nom)	0.8 s
Warm Up Time to 60% Light (Nom)	0.8 s
Power Factor (Nom)	0.9
Voltage (Nom)	220 V
Temperature	
T-Case Maximum (Nom)	90 °C
Controls and dimming	
Dimmable	No
Mechanical and housing	
Bulb Shape	PAR30S [ PAR 3.75 inch/95mm Short]
Approval and application	
Suitable For Accent Lighting	Yes
Energy Consumption kWh/1000 h	12 kWh
Product data	
Full product code	871869682708600
Order product name	Master LED 12-120W PAR30s 865 25D EER1
EAN/UPC - Product	8718696827086

# MASTER LEDspot PAR

Order code	929001919108
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6
Material Nr. (12NC)	929001919108

Net Weight (Piece)	0.134 kg
--------------------	----------



## Dimensional drawing



Master LED 12-120W PAR30s 865 25D EER1


Product	D	C
Master LED 12-120W PAR30s 865 25D EER1	86 mm	93 mm

## Photometric data



12-120W E26 PAR30S 25D 865 6500K



12-120W E26 PAR30S 25D 827 2700K



12-120W E26 PAR30S

# MASTER LEDspot PAR

## Lifetime



12-120W E26 PAR30S

12-120W E26 PAR30S

