

PHILIPS

MASTER LEDtube EM/ Mains T8



MASTER LEDtube 1200mm HO 12.5W 830 T8

The Philips MASTER LEDtube integrates a LED light source into a traditional fluorescent form factor. Its unique design creates a perfectly uniform visual appearance, which cannot be distinguished from traditional fluorescent. These T8 LED tubes are the right choice for absolute performance and are designed to stand up to everyday conditions. Unparalleled savings thanks to low energy consumption and an exceptionally long lifetime ensure this tube masters every demanding application.

Warnings and Safety

• NOTE: The overall energy efficiency and light distribution of any installation that uses these lamps will be determined by the design of the installation.

Product data

General information	
Cap-Base	G13 ROT (Rotating) [Medium Bi-Pin
	Fluorescent]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	75000 h
Switching Cycle	200000X
Flux measurement reference	Sphere
Light technical	
Color Code	830 [CCT of 3000K]
Beam Angle (Nom)	160 °
Luminous Flux (Nom)	2000 lm
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K

Luminous Efficacy (rated) (Nom)	160.00 lm/W	
Color Consistency	<6	
Color Rendering Index (Nom)	80	
LLMF At End Of Nominal Lifetime (Nom) 70 %		
Operating and electrical		
Input Frequency	50 to 60 Hz	
Power (Nom)	12.5 W	
Lamp Current (Max)	63 mA	
Lamp Current (Min)	52 mA	
Starting Time (Nom)	0.5 s	
Warm Up Time to 60% Light (Nom)	0.5 s	
Power Factor (Nom)	0.9	


Datasheet, 2022, May 19 data subject to change

MASTER LEDtube EM/Mains T8

Voltage (Nom)	220-240 V
Temperature	
T-Ambient (Max)	45 °C
T-Ambient (Min)	-20 °C
T-Storage (Max)	65 ℃
T-Storage (Min)	-40 °C
T-Case Maximum (Nom)	50 °C
Controls and dimming	
Dimmable	No
Mechanical and housing	
Bulb Finish	Frosted
Bulb Material	Plastic
Product Length	1200 mm
Bulb Shape	Tube, double-ended
Approval and application	
Energy Efficiency Class	С


Energy Saving Product	Yes
Approval Marks	RoHS compliance TUV CE marking KEMA Keur
	certificate
Energy Consumption kWh/1000 h	13 kWh
EPREL Registration Number	403590
Product data	
Full product code	871869959235600
Order product name	MASTER LEDtube 1200mm HO 12.5W 830 T8
EAN/UPC - Product	8718699592356
Order code	929001922602
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001922602
Net Weight (Piece)	0.230 kg

Dimensional drawing






Photometric data






General uniform lighting



Spectral Power Distribution Colour


MASTER LEDtube EM/Mains T8


Photometric data




Light Distribution Diagram

Lifetime






Lumen Maintenance Diagram



LumenVsTc




FailureRate

Life Expectancy Diagram

MASTER LEDtube EM/Mains T8

Lifetime



LifetimeVsTc



© 2022 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.