

Ecofit Ledtubes T8

LEDtube 1500mm 20W 765 T8 AP SL G

Upgrade to efficient, long-lasting LED tubes with the Ecofit LED tubes. Ecofit LED tubes are a fast and easy way to replace your old fluorescent tubes with modern, efficient LED technology. Good quality of light with a natural lighting effect for use in general lighting applications with low initial investment – an environmentally friendly solution.

Product data

General information		Power Factor (Nom)		0.5
Cap-Base	G13 [Medium Bi-Pin Fluorescent]	Voltage (Nom)	220-240 V	
EU RoHS compliant	Yes	Temperature		
Nominal Lifetime (Nom)	15000 h	T-Ambient (Max)	45 °C	
Switching Cycle	50000X	T-Ambient (Min)	-20 °C	
Light technical		T-Storage (Max)	65 °C	
Color Code	765 [CCT of 6500K]	T-Storage (Min)	-40 °C	
Beam Angle (Nom)	240 °	T-Case Maximum (Nom)	45 °C	
Luminous Flux (Nom)	2000 lm	Controls and dimming		
Color Designation	Cool Daylight	Dimmable	No	
Correlated Color Temperature (Nom)	6500 K	Mechanical and housing		
Luminous Efficacy (rated) (Nom)	100.00 lm/W	Product Length	1500 mm	
Color Consistency	<7	Bulb Shape	Tube, double-ended	
Color Rendering Index (Nom)	70	Approval and application		
LLMF At End Of Nominal Lifetime (Nom)	70 %	Energy Saving Product	Yes	
Operating and electrical		Approval Marks	RoHS compliance KEMA Keur certificate	
Input Frequency	50 to 60 Hz	Energy Consumption kWh/1000 h	20 kWh	
Power (Nom)	20 W			
Starting Time (Nom)	0.5 s			
Warm Up Time to 60% Light (Nom)	0.5 s			


Ecofit Ledtubes T8

Product data

Full product code	871869959609500
Order product name	LEDtube 1500mm 20W 765 T8 AP SL G
EAN/UPC - Product	8718699596095
Order code	929001940668
Numerator - Quantity Per Pack	1

Numerator - Packs per outer box	10
Material Nr. (12NC)	929001940668
Net Weight (Piece)	0.270 kg


Dimensional drawing




LEDtube 1500mm 20W 765 T8 AP SL G

Product	D1	D2	A1	A2	A3
LEDtube 1500mm 20W 765 T8 AP SL G	25.7 mm	28 mm	1498.5 mm	1505.9 mm	1513 mm


Photometric data



LEDtube 20W G13 740





LEDtube 20W G13




LEDtube 20W G13 740

Ecofit Ledtubes T8


Lifetime




LEDtube 15K FailureRate



LEDtube 15K



LEDtube 15K LumenVsTc



LEDtube 15K LifetimeVsTc

LEDtube 15K

Ecofit Ledtubes T8

