



# Ecohome

## EcoHome LEDBulb 12W E27 3000KHV 1PF/20AR

EcoHome LEDbulbs are compatible with existing fixtures with a E27 holder and are designed for retrofit replacement of incandescent, halogen and energy saving bulbs. They deliver huge energy savings and minimize initial investment

### Product data

General information	
Cap-Base	E27 [ E27]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	10000 h
Switching Cycle	50000X
Technical Type	12-80W

Light technical	
Color Code	830 [ CCT of 3000K]
Beam Angle (Nom)	150 °
Luminous Flux (Nom)	900 lm
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	75.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	12 W
Lamp Current (Nom)	75 mA
Wattage Equivalent	80 W
Starting Time (Nom)	0.5 s

Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.5
Voltage (Nom)	220-240 V

Temperature	
T-Case Maximum (Nom)	90 °C

Controls and dimming	
Dimmable	No


Mechanical and housing	
Bulb Finish	Frosted
Bulb Shape	A60 [ A 60mm]

Approval and application	
Energy Consumption kWh/1000 h	12 kWh

Product data	
Full product code	871869960842200
Order product name	EcoHome LEDBulb 12W E27 3000KHV 1PF/20AR
EAN/UPC - Product	8718699608422
Order code	929001954971
Numerator - Quantity Per Pack	1

Numerator - Packs per outer box	20
Material Nr. (12NC)	929001954971
Net Weight (Piece)	0.060 kg


Dimensional drawing




EcoHome LEDBulb 12W E27 3000KHV 1PF/20AR

Product	D	C
EcoHome LEDBulb 12W E27 3000KHV 1PF/20AR	60 mm	108 mm

Photometric data




65W E27 A60 FR 130D 765 6500K





CalcULX Photometrica 4.5 Philips Lighting B.V. Page 1/1

80W E27 A60 FR 130D 730 3000K



80W E27 A60 FR

Lifetime



65W E27 A60 FR

65W E27 A60 FR

