



Classic filament LED candles and lusters

LEDClA 25W B35 E14 825 WV ND+E27 BR/MX

Featuring a classic heritage design, Classic filament LED candles and lusters combine the familiar shapes of classic incandescent candle or luster with the benefits of the long lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light candles and lusters.

Product data

General information	
Cap-Base	E14 [E14]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	20000X
Light technical	
Color Code	825 [CCT of 2500K]
Beam Angle (Nom)	280 °
Luminous Flux (Nom)	300 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2500 K
Luminous Efficacy (rated) (Nom)	111.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	2.7 W


Wattage Equivalent	30 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.4
Voltage (Nom)	100-240 V
Temperature	
T-Case Maximum (Nom)	50 °C
Controls and dimming	
Dimmable	No
Mechanical and housing	
Bulb Finish	Transparent Amber
Bulb Shape	B35 [B 35mm]
Product data	
Full product code	871951433619300
Order product name	LEDClA 25W B35 E14 825 WV ND+E27 BR/MX
EAN/UPC - Product	8719514336193

Classic filament LED candles and lusters

Order code	929002000616
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6
Material Nr. (12NC)	929002000616

Net Weight (Piece)	0.030 kg
--------------------	----------


Dimensional drawing




LEDcla 25W B35 E14 825 WV ND+E27 BR/MX

Product	D	C
LEDcla 25W B35 E14 825 WV ND+E27 BR/MX	35 mm	114 mm


Photometric data



LEDbulb CLA 2,7W B35 E14 825 TA



LEDbulb CLA 2,7W B35 E14 825 TA




LEDbulb CLA B35 2,7W E14 825 TA

Classic filament LED candles and lusters

Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram

