

# CorePro GLASS LED candles and lusters

## CorePro LEDCandleND4.3-40W E14 840B35CLG

Featuring a classic heritage design, these filament LED candle combines the familiar shapes of classic incandescent bulbs with the benefits of long-lasting LED technology. The LED candle bulb, a very easy choice for people who are looking for a retrofit LED replacement, the LED candle provides 90% energy savings compared with conventional lamps. CorePro Glass LED bulbs provide excellent quality of light for stairway lighting. The LED candle bulb offers a lifetime of 15,000 hours to reduce maintenance costs.


### Product data

General information		Operating and electrical	
Cap-Base	E14 [ E14]	Input Frequency	50 to 60 Hz
EU RoHS compliant	Yes	Power (Nom)	4.3 W
Nominal Lifetime (Nom)	15000 h	Lamp Current (Nom)	40 mA
Switching Cycle	20000X	Wattage Equivalent	40 W
Flux measurement reference	Sphere	Starting Time (Nom)	0.5 s
		Warm Up Time to 60% Light (Nom)	0.5 s
		Power Factor (Nom)	0.48
		Voltage (Nom)	220-240 V
Light technical		Temperature	
Color Code	840 [ CCT of 4000K]	T-Case Maximum (Nom)	55 °C
Luminous Flux (Nom)	470 lm		
Color Designation	Cool White (CW)	Controls and dimming	
Correlated Color Temperature (Nom)	4000 K	Dimmable	No
Luminous Efficacy (rated) (Nom)	109.00 lm/W		
Color Consistency	<6	Mechanical and housing	
Color Rendering Index (Nom)	80	Bulb Finish	Clear
LLMF At End Of Nominal Lifetime (Nom)	70 %		



# CorePro GLASS LED candles and lusters

## Photometric data



Candle B35 4.3-40W 470lm4000K E14NDClear

## Lifetime



Candle B35 4.3-40W 470lm4000K E14NDClear



Candle B35 4.3-40W 470lm4000K E14NDClear

