



Classic filament LEDbulbs

LED classic 75W E27 CW A60 FR ND 1CT/10

Featuring a classic heritage design, Classic filament LEDbulbs combine the familiar shapes of classic incandescent bulbs with the benefits of the long lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light bulbs.

Product data

General information	
Cap-Base	E27 [E27]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	20000X
Technical Type	8.5-75W
Flux measurement reference	Sphere

Light technical	
Color Code	840 [CCT of 4000K]
Luminous Flux (Nom)	1055 lm
Color Designation	Cool White (CW)
Correlated Color Temperature (Nom)	4000 K
Luminous Efficacy (rated) (Nom)	124.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and electrical	
Input Frequency	50 to 60 Hz

Power (Nom)	8.5 W
Lamp Current (Nom)	70 mA
Wattage Equivalent	75 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.52
Voltage (Nom)	220-240 V

Temperature	
T-Case Maximum (Nom)	50 °C

Controls and dimming	
Dimmable	No

Mechanical and housing	
Bulb Finish	Frosted
Bulb Shape	A60 [A 60mm]


Approval and application	
Energy Efficiency Class	E

Classic filament LEDbulbs

Energy Consumption kWh/1000 h	9 kWh
EPREL Registration Number	387426
Product data	
Full product code	871869670561200
Order product name	LED classic 75W E27 CW A60 FR ND 1CT/10
EAN/UPC - Product	8718696705612

Order code	929002025831
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929002025831
Net Weight (Piece)	0.040 kg


Dimensional drawing




LED classic 75W E27 CW A60 FR ND 1CT/10

Product	D	C
LED classic 75W E27 CW A60 FR ND 1CT/10	60 mm	104 mm


Photometric data



LEDbulb 8,5W E27 A60 840 FR



LEDbulb 8,5W E27 A60 840 FR



LEDbulb 8,5W E27 A60 FR

Classic filament LEDbulbs

Lifetime



Life Expectancy Diagram

Lumen Maintenance Diagram

