



A-Shape LED

5A19/PER/930/P/E26/DIM 6/1FB T20

Philips A-shape LED lamps are the LED alternative to standard incandescents. It provides beautiful light and dependable performance you expect from LED at an affordable price.

Product data

General information	
Cap-Base	E26 [Single Contact Medium Screw]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Technical Type	5-40W

Light technical	
Color Code	930 [CCT of 3000K]
Beam Angle (Nom)	250 °
Luminous Flux (Nom)	450 lm
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	90.00 lm/W
Color Consistency	<4
Color Rendering Index (Nom)	90
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and electrical	
Input Frequency	60 Hz
Power (Nom)	5 W
Lamp Current (Nom)	55 mA
Wattage Equivalent	40 W
Starting Time (Nom)	0.5 s

Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.7
Voltage (Nom)	120 V

Temperature	
T-Case Maximum (Nom)	75 °C

Controls and dimming	
Dimmable	Yes

Mechanical and housing	
Bulb Finish	Frosted
Bulb Material	Plastic
Bulb Shape	A19 (A19)


Approval and application	
Energy Consumption kWh/1000 h	- kWh
Energy Certifications	Energy Star

Product data	
Order product name	5A19/PER/930/P/E26/DIM 6/1FB T20
EAN/UPC - Product	046677550417
Order code	929002035804
Numerator - Quantity Per Pack	1

A-Shape LED

Numerator - Packs per outer box	6
Material Nr. (12NC)	929002035804
Net Weight (Piece)	0.060 kg


Dimensional drawing




5A19/PER/930/P/E26/DIM 6/1FB T20

Product	D	C
5A19/PER/930/P/E26/DIM 6/1FB T20	62.5 mm	111.5 mm


Photometric data



40W E26 A19 930 Frosted





40 60 75 100W E26 A19 A21 Frosted



40W E26 A19 930 Frosted

A-Shape LED

Lifetime



Life Expectancy Diagram

Lumen Maintenance Diagram

