



# A-Shape LED

## 5A19/PER/950/P/E26/DIM 6/1FB T20

Philips A-shape LED lamps are the LED alternative to standard incandescents. It provides beautiful light and dependable performance you expect from LED at an affordable price.


### Product data

General information		Warm Up Time to 60% Light (Nom)	
Cap-Base	E26 [ Single Contact Medium Screw]		0.5 s
EU RoHS compliant	Yes	Power Factor (Nom)	0.7
Nominal Lifetime (Nom)	15000 h	Voltage (Nom)	120 V
Switching Cycle	50000X	<b>Temperature</b>	
Technical Type	5-40W	T-Case Maximum (Nom)	75 °C
<b>Light technical</b>		<b>Controls and dimming</b>	
Color Code	950 [ CCT of 5000K]	Dimmable	Yes
Beam Angle (Nom)	250 °	<b>Mechanical and housing</b>	
Luminous Flux (Nom)	450 lm	Bulb Finish	Frosted
Color Designation	Daylight	Bulb Material	Plastic
Correlated Color Temperature (Nom)	5000 K	Bulb Shape	A19 (A19)
Luminous Efficacy (rated) (Nom)	90.00 lm/W	<b>Approval and application</b>	
Color Consistency	<4	Energy Consumption kWh/1000 h	- kWh
Color Rendering Index (Nom)	90	Energy Certifications	Energy Star
LLMF At End Of Nominal Lifetime (Nom)	70 %	<b>Product data</b>	
<b>Operating and electrical</b>		Order product name	5A19/PER/950/P/E26/DIM 6/1FB T20
Input Frequency	60 Hz	EAN/UPC - Product	046677550424
Power (Nom)	5 W	Order code	929002036004
Lamp Current (Nom)	55 mA	Numerator - Quantity Per Pack	1
Wattage Equivalent	40 W		
Starting Time (Nom)	0.5 s		

# A-Shape LED

Numerator - Packs per outer box	6
Material Nr. (12NC)	929002036004
Net Weight (Piece)	0.060 kg


## Dimensional drawing




5A19/PER/950/P/E26/DIM 6/1FB T20

Product	D	C
5A19/PER/950/P/E26/DIM 6/1FB T20	62.5 mm	111.5 mm

## Photometric data




General Uniform Lighting  
1 x 40W/2000K/100lm/1000h  
Page 1/1



40W E26 A19 950 Frosted

40 60 75 100W E26 A19 A21 Frosted



40W E26 A19 950 Frosted

# A-Shape LED

## Lifetime



Life Expectancy Diagram

Lumen Maintenance Diagram

