



# LED A15

## 3.3A15/VIN/820/E26/CL/GL/DIM 4/FBHT20

Philips A15 LED Lamps offer energy saving ambience with an elegant effect. Their unique design provides light in all directions, giving lighting designers a long life alternative to standard incandescent sources.

### Product data

| General information    |                                    |
|------------------------|------------------------------------|
| Cap-Base               | E26 [ Single Contact Medium Screw] |
| EU RoHS compliant      | Yes                                |
| Nominal Lifetime (Nom) | 15000 h                            |
| Switching Cycle        | 20000X                             |
| Technical Type         | 3.3-25W                            |

| Light technical                       |                     |
|---------------------------------------|---------------------|
| Color Code                            | 820 [ CCT of 2000K] |
| Luminous Flux (Nom)                   | 200 lm              |
| Color Designation                     | Flame               |
| Correlated Color Temperature (Nom)    | 2000 K              |
| Luminous Efficacy (rated) (Nom)       | 60.00 lm/W          |
| Color Consistency                     | <6                  |
| Color Rendering Index (Nom)           | 80                  |
| LLMF At End Of Nominal Lifetime (Nom) | 70 %                |

| Operating and electrical        |       |
|---------------------------------|-------|
| Input Frequency                 | 60 Hz |
| Power (Nom)                     | 3.3 W |
| Lamp Current (Nom)              | 40 mA |
| Wattage Equivalent              | 25 W  |
| Starting Time (Nom)             | 0.5 s |
| Warm Up Time to 60% Light (Nom) | 0.5 s |

|                    |       |
|--------------------|-------|
| Power Factor (Nom) | 0.7   |
| Voltage (Nom)      | 120 V |

| Temperature          |       |
|----------------------|-------|
| T-Case Maximum (Nom) | 50 °C |

| Controls and dimming |     |
|----------------------|-----|
| Dimmable             | Yes |

| Mechanical and housing |                   |
|------------------------|-------------------|
| Bulb Finish            | Transparent Amber |
| Bulb Material          | Glass             |
| Bulb Shape             | A15 [ A 15mm]     |

| Approval and application      |       |
|-------------------------------|-------|
| Energy Consumption kWh/1000 h | - kWh |
| Energy Certifications         | No    |

| Product data                    |                                       |
|---------------------------------|---------------------------------------|
| Order product name              | 3.3A15/VIN/820/E26/CL/GL/DIM 4/FBHT20 |
| EAN/UPC - Product               | 046677556556                          |
| Order code                      | 929002260203                          |
| Numerator - Quantity Per Pack   | 1                                     |
| Numerator - Packs per outer box | 4                                     |



# LED A15

## Lifetime



Life Expectancy Diagram

Lumen Maintenance Diagram

