



# **LED 3-Way**

### 18.5A21/LED/927/P/E26/3WAY ND 4/1FB T20

Philips LED A-shape light bulb provides omni-directional light perfect for general room lighting. This lamp creates a comfortable atmosphere by providing 3 wattage levels of soft, white light that will not fade fabrics or furnishings.


#### **Product data**

General information	
Cap-Base	E26 [ Single Contact Medium Screw]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Technical Type	18.5;13;6-150-100-50W
Light technical	
Color Code	927 [ CCT of 2700K]
Beam Angle (Nom)	250°
Luminous Flux (Nom)	2150-1600-620 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	116.00 lm/W
Color Consistency	<4
Color Rendering Index (Nom)	90
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and electrical	
Input Frequency	60 Hz
Power (Nom)	18.5 13 6 W
Lamp Current (Max)	157 mA
Lamp Current (Min)	54 mA
Wattage Equivalent	150-100-50 W

Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.7
Voltage (Nom)	120 V
Temperature	
T-Case Maximum (Nom)	95 ℃
Controls and dimming	
Dimmable	No
Mechanical and housing	
Bulb Finish	Frosted
Bulb Shape	A21 (A21)
Product data	
Order product name	18.5A21/LED/927/P/E26/3WAY ND 4/1FB T20
EAN/UPC - Product	046677556938
Order code	929002285103
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	4
Material Nr. (12NC)	929002285103
Net Weight (Piece)	0.096 kg
The state of the s	

Datasheet, 2021, February 28 data subject to change


### Dimensional drawing




18.5A21/LED/927/P/E26/3WAY ND 4/1FB T20

## Product D C 18.5A21/LED/927/P/E26/3WAY ND 4/1FB T20 70.6 mm 133.1 mm

### Photometric data




Calculus Photometrics 4.5 Philips Lighting 6.V. Page: UT



LEDbulb A21 E26 2150lm FR


### LEDbulb 18,5W A21 E26 927 FR




LEDbulb 18,5W A21 E26 927 FR

### LED 3-Way

### Lifetime





Life Expectancy Diagram

Lumen Maintenance Diagram



© 2021 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.