



Essential LED bulbs

ESS LEDBulb 9W E27 4000K 230V 1CT/12 CN

Essential LEDbulbs are compatible with existing fixtures with a E27 holder and are designed for retrofit replacement of incandescent, halogen and energy saving bulbs. They deliver huge energy savings and minimize initial investment


Product data

General information	
Cap-Base	E27 [E27]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	12000 h
Switching Cycle	50000X
Light technical	
Color Code	840 [CCT of 4000K]
Beam Angle (Nom)	150 °
Luminous Flux (Nom)	900 lm
Color Designation	Cool White (CW)
Correlated Color Temperature (Nom)	4000 K
Luminous Efficacy (rated) (Nom)	100.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	9 W
Lamp Current (Nom)	75 mA
Wattage Equivalent	66 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s

Power Factor (Nom)	0.5
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	90 °C
Controls and dimming	
Dimmable	No
Mechanical and housing	
Bulb Finish	Frosted
Bulb Shape	A60 [A 60mm]
Product data	
Full product code	692234190674900
Order product name	ESS LEDBulb 9W E27 4000K 230V 1CT/12 CN
EAN/UPC - Product	6922341906749
Order code	929002299309
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	12
Material Nr. (12NC)	929002299309
Net Weight (Piece)	0.060 kg

Essential LED bulbs


Dimensional drawing




ESS LEDBulb 9W E27 4000K 230V 1CT/12 CN

Product	D	C
ESS LEDBulb 9W E27 4000K 230V 1CT/12 CN	60 mm	108 mm


Photometric data



General uniform lighting



Spectral Power Distribution Colour



Light Distribution Diagram

Essential LED bulbs

Lifetime



10K

10K

