



Standard LED bulbs

Standard 6A19/LED/865/FR/P/ND 2PF/6 NL

Standard LED bulbs are compatible with existing fixtures with a E27 holder and are designed for retrofit replacement of incandescent, halogen and energy saving bulbs. They deliver huge energy savings and minimize maintenance costs. The Standard LED bulb is the perfect bulb for your basic lighting needs. It provides the beautiful light and performance you expect from the LED technology at an affordable price.

Product data


General information		Wattage Equivalent	
Cap-Base	E27 [E27]		40 W
EU RoHS compliant	Yes	Starting Time (Nom)	0.5 s
Nominal Lifetime (Nom)	15000 h	Warm Up Time to 60% Light (Nom)	0.5 s
Switching Cycle	50000X	Power Factor (Nom)	0.5
Technical Type	6-40W	Voltage (Nom)	100-130 V
Light technical		Temperature	
Color Code	865 [CCT of 6500K]	T-Case Maximum (Nom)	85 °C
Beam Angle (Nom)	150 °	Controls and dimming	
Luminous Flux (Nom)	450 lm	Dimmable	No
Color Designation	Cool Daylight	Mechanical and housing	
Correlated Color Temperature (Nom)	6500 K	Bulb Finish	Frosted
Luminous Efficacy (rated) (Nom)	75.00 lm/W	Bulb Shape	A19 (A19)
Color Consistency	<6	Approval and application	
Color Rendering Index (Nom)	80	Energy Consumption kWh/1000 h	- kWh
LLMF At End Of Nominal Lifetime (Nom)	70 %	Product data	
Operating and electrical		Full product code	871869970277900
Input Frequency	50 to 60 Hz	Order product name	Standard 6A19/LED/865/FR/P/ND 2PF/6 NL
Power (Nom)	6 W		
Lamp Current (Nom)	85 mA		

Standard LED bulbs

EAN/UPC - Product	8718699702786
Order code	929002312224
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6

Material Nr. (12NC)	929002312224
Net Weight (Piece)	0.030 kg



Dimensional drawing



Standard 6A19/LED/865/FR/P/ND 2PF/6 NL


Product	D	C
Standard 6A19/LED/865/FR/P/ND 2PF/6 NL	60 mm	108 mm

Photometric data



LEDbulb ESS 5,5W A19 E27 865 FR

LEDbulb ESS 5,5W A19 E27 865 FR



LEDbulb ESS A19 5,5W E27 450lm 865 FR

Standard LED bulbs

Lifetime



Life Expectancy Diagram

Lumen Maintenance Diagram

