



Ecohome

EcoHome LEDBulb 10W E27 3000KLV 4PF/12MX


EcoHome LEDbulbs are compatible with existing fixtures with a E27 holder and are designed for retrofit replacement of incandescent, halogen and energy saving bulbs. They deliver huge energy savings and minimize initial investment

Product data

General information	
Cap-Base	E27 [E27]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Light technical	
Color Code	830 [CCT of 3000K]
Beam Angle (Nom)	150 °
Luminous Flux (Nom)	800 lm
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	80.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	10 W
Lamp Current (Nom)	150 mA
Wattage Equivalent	60 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s

Power Factor (Nom)	0.5
Voltage (Nom)	100-130 V
Temperature	
T-Case Maximum (Nom)	90 °C
Controls and dimming	
Dimmable	No
Mechanical and housing	
Bulb Finish	Frosted
Bulb Shape	A19 (A19)
Product data	
Full product code	871951431573000
Order product name	EcoHome LEDBulb 10W E27 3000KLV 4PF/12MX
EAN/UPC - Product	8719514315747
Order code	929002312363
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	12
Material Nr. (12NC)	929002312363
Net Weight (Piece)	0.034 kg



Dimensional drawing



EcoHome LEDBulb 10W E27 3000KLV 4PF/12MX

Product	D	C
EcoHome LEDBulb 10W E27 3000KLV 4PF/12MX	60 mm	108 mm


Photometric data



OSRAM Research & Dev. | Lighting E27 | Page 1/1



LEDbulb ESS 8W A19 E27 830 FR

LEDbulb ESS 8W A19 E27 830 FR



LEDbulb ESS A19 3,5W E27 300lm 830 FR

Lifetime



Life Expectancy Diagram

Lumen Maintenance Diagram

