



Essential LED bulbs

Essential LEDBulb 8-60W E27 3000K 4PF/6 MX

Essential LEDbulbs are compatible with existing fixtures with a E27 holder and are designed for retrofit replacement of incandescent, halogen and energy saving bulbs. They deliver huge energy savings and minimize initial investment

Product data

General information	
Cap-Base	E27 [E27]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Technical Type	8-60W
Light technical	
Color Code	830 [CCT of 3000K]
Beam Angle (Nom)	150 °
Luminous Flux (Nom)	800 lm
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	100.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom) 70 %	
Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	8 W
Lamp Current (Nom)	150 mA
Wattage Equivalent	60 W
Starting Time (Nom)	0.5 s


Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.5
Voltage (Nom)	100-130 V
Temperature	
T-Case Maximum (Nom)	90 ℃
Controls and dimming	
Dimmable	No
Mechanical and housing	
Bulb Finish	Frosted
Bulb Shape	A19 (A19)
Approval and application	
Energy Consumption kWh/1000 h	- kWh
Product data	
Full product code	871869684157000
Order product name	Essential LEDBulb 8-60W E27 3000K 4PF/6
	MX
EAN/UPC - Product	8718696841587
Order code	929002312372
Numerator - Quantity Per Pack	1
•	·

Datasheet, 2021, November 1 data subject to change

Essential LED bulbs

Numerator - Packs per outer box	6
Material Nr. (12NC)	929002312372
Net Weight (Piece)	0.034 kg


Dimensional drawing



Essential LEDBulb 8-60W E27 3000K 4PF/6 MX


Product D C Essential LEDBulb 8-60W E27 3000K 4PF/6 MX 60 mm 108 mm

Photometric data



TO STATE OF THE PARTY OF THE PA

LEDbulb ESS 8W A19 E27 830 FR





LEDbulb ESS A19 3,5W E27 300lm 830 FR

LEDbulb ESS 8W A19 E27 830 FR

Essential LED bulbs

Lifetime





Life Expectancy Diagram

Lumen Maintenance Diagram

