



# Ecohome

## EcoHome LEDBulb 14W E27 6500KLV 3PF/12MX


EcoHome LEDbulbs are compatible with existing fixtures with a E27 holder and are designed for retrofit replacement of incandescent, halogen and energy saving bulbs. They deliver huge energy savings and minimize initial investment

### Product data

General information	
Cap-Base	E27 [ E27]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Light technical	
Color Code	865 [ CCT of 6500K]
Beam Angle (Nom)	150 °
Luminous Flux (Nom)	1310 lm
Color Designation	Cool Daylight
Correlated Color Temperature (Nom)	6500 K
Luminous Efficacy (rated) (Nom)	93.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	14 W
Lamp Current (Nom)	220 mA
Wattage Equivalent	100 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s

Power Factor (Nom)	0.5
Voltage (Nom)	100-130 V
Temperature	
T-Case Maximum (Nom)	95 °C
Controls and dimming	
Dimmable	No
Mechanical and housing	
Bulb Finish	Frosted
Bulb Shape	A19 (A19)
Product data	
Full product code	871951431579200
Order product name	EcoHome LEDBulb 14W E27 6500KLV 3PF/12MX
EAN/UPC - Product	8719514315808
Order code	929002312864
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	12
Material Nr. (12NC)	929002312864
Net Weight (Piece)	0.055 kg


Dimensional drawing




EcoHome LEDBulb 14W E27 6500KLV 3PF/12MX

Product	D	C
EcoHome LEDBulb 14W E27 6500KLV 3PF/12MX	60 mm	108 mm


Photometric data



LEDbulb ESS A19 13W E27 1310lm 830 FR




LEDbulb ESS 14W A19 E27 865 FR



General Uniform Lightness Page 1/1

LEDbulb ESS 14W A19 E27 865 FR

Lifetime



Life Expectancy Diagram

Lumen Maintenance Diagram

