



Essential LED bulbs

ESS LEDBulb 9W E27 6500K HV 2PF/10 AR

Essential LEDbulbs are compatible with existing fixtures with a E27 holder and are designed for retrofit replacement of incandescent, halogen and energy saving bulbs. They deliver huge energy savings and minimize initial investment

Product data

General information	
Cap-Base	E27 [E27]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	12000 h
Switching Cycle	50000X
Technical Type	9-80W

Light technical	
Color Code	865 [CCT of 6500K]
Beam Angle (Nom)	150 °
Luminous Flux (Nom)	920 lm
Color Designation	Cool Daylight
Correlated Color Temperature (Nom)	6500 K
Luminous Efficacy (rated) (Nom)	102.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	9 W
Lamp Current (Nom)	75 mA
Wattage Equivalent	80 W
Starting Time (Nom)	0.5 s

Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.5
Voltage (Nom)	220-240 V

Temperature	
T-Case Maximum (Nom)	90 °C

Controls and dimming	
Dimmable	No

Mechanical and housing	
Bulb Finish	Frosted
Bulb Shape	A60 [A 60mm]


Approval and application	
Energy Consumption kWh/1000 h	9 kWh

Product data	
Full product code	871869960296300
Order product name	ESS LEDBulb 9W E27 6500K HV 2PF/10 AR
EAN/UPC - Product	8718699602970
Order code	929002323995
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10

Essential LED bulbs

Material Nr. (12NC)	929002323995
Net Weight (Piece)	0.064 kg


Dimensional drawing




ESS LEDBulb 9W E27 6500K HV 2PF/10 AR

Product	D	C
ESS LEDBulb 9W E27 6500K HV 2PF/10 AR	60 mm	108 mm


Photometric data



LEDbulb ECC A60 9W E27 920lm 865 FR




LEDbulb ECC 9W A60 E27 865 FR




LEDbulb ECC 9W A60 E27 865 FR

Essential LED bulbs

Lifetime



10K



10K

