



Essential LED bulbs

ESS LEDBulb 12W E27 3000K HV 1PF/20 AR

Essential LEDbulbs are compatible with existing fixtures with a E27 holder and are designed for retrofit replacement of incandescent, halogen and energy saving bulbs. They deliver huge energy savings and minimize initial investment

Product data

General information	
Cap-Base	E27 [E27]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	12000 h
Switching Cycle	50000X
Technical Type	12-95W

Light technical	
Color Code	830 [CCT of 3000K]
Beam Angle (Nom)	150 °
Luminous Flux (Nom)	1110 lm
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	92.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	12 W
Lamp Current (Nom)	95 mA
Wattage Equivalent	95 W
Starting Time (Nom)	0.5 s

Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.5
Voltage (Nom)	220-240 V

Temperature	
T-Case Maximum (Nom)	95 °C

Controls and dimming	
Dimmable	No

Mechanical and housing	
Bulb Finish	Frosted
Bulb Shape	A60 [A 60mm]


Approval and application	
Energy Consumption kWh/1000 h	12 kWh

Product data	
Full product code	871869676039001
Order product name	ESS LEDBulb 12W E27 3000K HV 1PF/20 AR
EAN/UPC - Product	8718696760390
Order code	929002324092
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	20

Essential LED bulbs

Material Nr. (12NC)	929002324092
Net Weight (Piece)	0.044 kg


Dimensional drawing




ESS LEDBulb 12W E27 3000K HV 1PF/20 AR

Product	D	C
ESS LEDBulb 12W E27 3000K HV 1PF/20 AR	60 mm	108 mm


Photometric data



LEDbulb Ecohome A60 14W E27 1150lm 830 FR





LEDbulb ECC 12W A60 E27 830 FR



LEDbulb ECC 12W A60 E27 830 FR

Essential LED bulbs

Lifetime



10K

10K

