



# Essential LED bulbs

## ESS LEDBulb 14W E27 3000K HV 1PF/20 AR

Essential LEDbulbs are compatible with existing fixtures with a E27 holder and are designed for retrofit replacement of incandescent, halogen and energy saving bulbs. They deliver huge energy savings and minimize initial investment

### Product data

General information	
Cap-Base	E27 [ E27]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	12000 h
Switching Cycle	50000X
Technical Type	14-100W

Light technical	
Color Code	830 [ CCT of 3000K]
Beam Angle (Nom)	150 °
Luminous Flux (Nom)	1300 lm
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	92.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	14 W
Lamp Current (Nom)	110 mA
Wattage Equivalent	100 W
Starting Time (Nom)	0.5 s

Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.5
Voltage (Nom)	220-240 V

Temperature	
T-Case Maximum (Nom)	95 °C

Controls and dimming	
Dimmable	No

Mechanical and housing	
Bulb Finish	Frosted
Bulb Shape	A65 [ A 65mm]


Approval and application	
Energy Consumption kWh/1000 h	14 kWh

Product data	
Full product code	871869960545200
Order product name	ESS LEDBulb 14W E27 3000K HV 1PF/20 AR
EAN/UPC - Product	8718699605452
Order code	929002324292
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	20

# Essential LED bulbs

Material Nr. (12NC)	929002324292
Net Weight (Piece)	0.060 kg


## Dimensional drawing




ESS LEDBulb 14W E27 3000K HV 1PF/20 AR

Product	D	C
ESS LEDBulb 14W E27 3000K HV 1PF/20 AR	60 mm	108 mm


## Photometric data



LEDbulb ECC 14W A65 E27 830 FR





LEDbulb ECC 14W A65 E27 830 FR



LEDbulb ECC A65 14W E27 1300lm 830 FR

# Essential LED bulbs

## Lifetime



10K

10K

