PHILIPS Lighting



TrueForce LED Industrial and Retail (Highbay – MH)

TrueForce LED HPI UN 95W E40 840 NB

Philips LED Highbay lamps give you a quick and easy payback solution to replace HID alternatives in high-bay applications. TrueForce LED solutions give you the LED benefits of energy-efficiency and a long lifetime for a low initial investment. The design of TrueForce LED enables the direct retrofit of HID lamps with TrueForce LED lamps without changing the fixtures or gear. In fact, the TrueForce LED lamp is compatible with both 250W and 400W gears to maximize the feasibility of such retrofits. Ignitor smart logic eliminates ignitor failure and continued ignition, which may generate overheat and EMI risks. Multiple beam angle options and a high color rendering index enhance the lighting distribution in medium and high-bay applications, while creating a comfortable, safe and highly-productive environment.

Warnings and Safety

• Installation should always be performed by a qualified electrician or installer. Use the installation guide for instructions.

Product data

General information		
Cap-Base	D-Base E40 [E40]	
EU RoHS compliant	Yes	
Nominal Lifetime (Nom)	50000 h	
Switching Cycle	50000X	
Technical Type	95-250W	
Flux measurement reference	Narrow Cone	


Light technical	
Color Code	840 [CCT of 4000K]
Beam Angle (Nom)	60 °
Luminous Flux (Nom)	13000 lm
Color Designation	Cool White (CW)
Correlated Color Temperature (Nom)	4000 K
Luminous Efficacy (rated) (Nom)	136.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80

TrueForce LED Industrial and Retail (Highbay - MH)

LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and electrical	
Input Frequency	50 Hz
Power (Nom)	95 W
Lamp Current (Nom)	500 mA
Wattage Equivalent	250 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	1s
Power Factor (Nom)	0.9
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	91.5 °C
Controls and dimming	
Dimmable	No
Mechanical and housing	
Bulb Shape	Others


Assured and availanting	
Approval and application	
Energy Efficiency Class	F
Energy Consumption kWh/1000 h	95 kWh
EPREL Registration Number	403624
Product data	
Full product code	871869975367200
Order product name	TrueForce LED HPI UN 95W E40 840 NB
EAN/UPC - Product	8718699753672
Order code	929002350702
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	3
Material Nr. (12NC)	929002350702
Net Weight (Piece)	1.250 kg

Dimensional drawing



Product	D	с	
TrueForce LED HPI UN 95W E40 840 NB	250 mm	290 mm	

Photometric data




		5 x TForce LED \$29042354700
		1 a 13000 be
his innig tigen	Ountie minutes depun	LGI dagan
1 Marti	Nonematics of	· · · ·
KX XX		1 2
NM		· ·
K		
	Utania kan sila	Lawiness Table
Statistic St		
the second second		

LEDTForce HPI 95W Others E40 840

LEDTForce HPI 95W Others E40 840 60D


TrueForce LED Industrial and Retail (Highbay - MH)



Photometric data

LEDTForce HPI 95W Others E40 60D

Lifetime





© 2022 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2022, May 5 - data subject to change