



# Classic filament LED candles and lusters

## LEDClassic 4.5W B11 E12 827 CL ND 3CT/10

Featuring a classic heritage design, Classic filament LED candles and lusters combine the familiar shapes of classic incandescent candle or luster with the benefits of the long lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light candles and lusters.

### Product data

General information	
Cap-Base	E12 [ Candelabra Screw]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	20000X
Technical Type	4.5-40W
Light technical	
Color Code	827 [ CCT of 2700K]
Luminous Flux (Nom)	500 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	111.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and electrical	
Input Frequency	60 Hz
Power (Nom)	4.5 W

Lamp Current (Nom)	75 mA
Wattage Equivalent	40 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.5
Voltage (Nom)	120 V
Temperature	
T-Case Maximum (Nom)	55 °C
Controls and dimming	
Dimmable	No
Mechanical and housing	
Bulb Finish	Clear
Bulb Shape	B12
Approval and application	
Energy Consumption kWh/1000 h	- kWh


# Classic filament LED candles and lusters

## Product data

Order product name	LEDClassic 4.5W B11 E12 827 CL ND 3CT/10
EAN/UPC - Product	50046677560374
Order code	929002355172
Numerator - Quantity Per Pack	1

Numerator - Packs per outer box	10
Material Nr. (12NC)	929002355172
Net Weight (Piece)	0.015 kg


## Dimensional drawing




LEDClassic 4.5W B11 E12 827 CL ND 3CT/10

Product	D	C
LEDClassic 4.5W B11 E12 827 CL ND 3CT/10	35 mm	99 mm


## Photometric data



LEDbulb CLA B11 4,5W E12 827 CL



LEDbulb CLA 4,5W B11 E12 827 CL




LEDbulb CLA 4,5W B11 E12 827

# Classic filament LED candles and lusters

## Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram

