



# **LED Specialty Lamps**

# 1.2T5/SPC/830/ND/12V/BC/2PK 6/2

Philips speciality LED lamps are the smart alternative to standard incandescent. Their unique lamp design provides form factors to fit in standard applications with incredible energy savings.

#### **Product data**

General information		
Cap-Base	Wedgebase	
EU RoHS compliant	Yes	
Nominal Lifetime (Nom)	15000 h	
Switching Cycle	50000X	
Technical Type	1.2-7W	
Light technical		
Color Code	830 [ CCT of 3000K]	
Luminous Flux (Nom)	120 lm	
Color Designation	White (WH)	
Correlated Color Temperature (Nom)	3000 K	
Luminous Efficacy (rated) (Nom)	100.00 lm/W	
Color Consistency	<6	
Color Rendering Index (Nom)	80	
LLMF At End Of Nominal Lifetime (Nom)	70 %	
Operating and electrical		
Input Frequency	- Hz	
Power (Nom)	1.2 W	
Lamp Current (Nom)	138 mA	
Wattage Equivalent	7 W	
Starting Time (Nom)	0.5 s	
Warm Up Time to 60% Light (Nom)	0.5 s	


Power Factor (Nom)	0.57		
Voltage (Nom)	ac electronic 12 V		
Temperature			
T-Case Maximum (Nom)	80 ℃		
Controls and dimming			
Dimmable	No		
Mechanical and housing			
Bulb Shape	Capsule		
Approval and application			
Suitable For Accent Lighting	No		
Energy Consumption kWh/1000 h	2 kWh		
Energy Certifications	No		
Product data			
Order product name	1.2T5/SPC/830/ND/12V/BC/2PK 6/2		
EAN/UPC - Product	50046677533453		
Order code	929002389596		
Numerator - Quantity Per Pack	1		
Numerator - Packs per outer box	6		
Material Nr. (12NC)	929002389596		

Datasheet, 2022, June 10 data subject to change

# **LED Specialty Lamps**


Net Weight (Piece)	0.008 kg
--------------------	----------

### Dimensional drawing



Product	D	С
1.2T5/SPC/830/ND/12V/BC/2PK 6/2	13 mm	34 mm

### Photometric data






# 

### LEDcapsule 2W Wedgebase


### LEDcapsule 1,2W Wedgebase 830




LEDcapsule 1,2W Wedgebase 830

## **LED Specialty Lamps**

### Lifetime





Life Expectancy Diagram

Lumen Maintenance Diagram

