



# LED Wallpack Retrofits

## 60WP/LED/850/ND EX39 G2 BB 6/1

Philips LED HID replacement lamps are perfect LED replacement for a variety of outdoor applications. High intensity illumination, which means you get added visibility for applications like streets, public areas, and much more for a fraction of the energy used by conventional HID.

### Product data

General information	
Cap-Base	EX39 [ Exclusionary Mogul Screw]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	50000 h
Switching Cycle	50000X
Technical Type	60-175-250W

Light technical	
Color Code	850 [ CCT of 5000K]
Luminous Flux (Nom)	9000 lm
Color Designation	Daylight
Correlated Color Temperature (Nom)	5000 K
Luminous Efficacy (rated) (Nom)	150.00 lm/W
Color Consistency	ANSI 5000K quadrangle
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	60 W

Lamp Current (Nom)	666 mA
Wattage Equivalent	175-250 W
Starting Time (Nom)	1 s
Warm Up Time to 60% Light (Nom)	1 s
UL Type	Type B - bypass the ballast
Power Factor (Nom)	0.9
Voltage (Nom)	100-277 V

Temperature	
T-Case Maximum (Nom)	65 °C

Controls and dimming	
Dimmable	No

Mechanical and housing	
Bulb Finish	Clear
Bulb Material	Plastic
Bulb Shape	Wall Pack

# LED Wallpack Retrofits

## Approval and application


Energy Consumption kWh/1000 h	60 kWh
-------------------------------	--------

## Product data

Order product name	60WP/LED/850/ND EX39 G2 BB 6/1
EAN/UPC - Product	046677559953
Order code	929002398504

Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6
Material Nr. (12NC)	929002398504
Net Weight (Piece)	0.950 kg



## Dimensional drawing



60WP/LED/850/ND EX39 G2 BB 6/1


Product	D	C
60WP/LED/850/ND EX39 G2 BB 6/1	92 mm	270 mm

## Photometric data



LEDTForce 60W WallPack EX39 850



LEDTForce 60W WallPack EX39 850



LEDTForce WallPack

# LED Wallpack Retrofits

## Lifetime



50K

50K

