



CorePro Glass LED bulbs

CorePro LEDBulbND 4.5-40W E27 A60830 FRG

Featuring a classic heritage design, these filament LED lamps combine the familiar shapes of classic incandescent bulbs with the benefits of long-lasting LED technology. A very easy choice for people who are looking for a retrofit LED replacement, these CorePro LED bulbs provide 90% energy savings compared with conventional lamps. CorePro Glass LED bulbs provide excellent quality of light in a vintage style. CorePro LED lighting that offers a lifetime of 15,000 hours to reduce maintenance costs.

Product data


General information		Operating and electrical	
Cap-Base	E27 [E27]	Input Frequency	50 to 60 Hz
EU RoHS compliant	Yes	Power (Nom)	4.5 W
Nominal Lifetime (Nom)	15000 h	Lamp Current (Nom)	40 mA
Switching Cycle	20000X	Wattage Equivalent	40 W
Flux measurement reference	Sphere	Starting Time (Nom)	0.5 s
		Warm Up Time to 60% Light (Nom)	0.5 s
		Power Factor (Nom)	0.41
		Voltage (Nom)	220-240 V
Light technical		Temperature	
Color Code	830 [CCT of 3000K]	T-Case Maximum (Nom)	50 °C
Luminous Flux (Nom)	470 lm		
Color Designation	White (WH)	Controls and dimming	
Correlated Color Temperature (Nom)	3000 K	Dimmable	No
Luminous Efficacy (rated) (Nom)	104.00 lm/W		
Color Consistency	<6	Mechanical and housing	
Color Rendering Index (Nom)	80	Bulb Finish	Frosted
LLMF At End Of Nominal Lifetime (Nom)	70 %		

CorePro Glass LED bulbs

Bulb Shape	A60 [A 60mm]
Approval and application	
Energy Efficiency Class	F
Energy Consumption kWh/1000 h	5 kWh
EPREL Registration Number	374881
Product data	
Full product code	871951434702100
Order product name	CorePro LEDBulbND 4.5-40W E27 A60830 FRG

EAN/UPC - Product	8719514347021
Order code	929002424992
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929002424992
Net Weight (Piece)	0.030 kg


Dimensional drawing




CorePro LEDBulbND 4.5-40W E27 A60830 FRG

Product	D	C
CorePro LEDBulbND 4.5-40W E27 A60830 FRG	60 mm	106 mm

Photometric data



LEDbulb_A60_E27_470lm_FR




General Uniform Lighting

LEDbulb_4,5W_A60_E27_830_FR_1

CorePro Glass LED bulbs

Photometric data



LEDbulb_4,5W_A60_E27_830_FR_1

Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram

