



MASTER Plastic LEDcandles & lusters

MASTER LEDcandle DT 8-60W B40 E14 827 CL

The MASTER Plastic LEDcandle & luster range delivers a dimmable glow effect for a welcoming, warm atmosphere, making it ideal for general lighting applications in the hospitality industry. Its unique design radiates warm light in all directions, making it a true alternative to incandescent lamps. They are particularly suitable for public areas such as lobbies, corridors, stairwells, where the light is always on. Compatible with existing fixtures with an E14 holder for candles and E14 and E27 holders for lusters. MASTER Plastic LEDcandle & luster deliver huge energy savings of up to 80% compared with traditional incandescent lamps and provides excellent quality of light. By offering a lifetime of 25,000 hours it lowers maintenance costs. They can be used together with most leading-edge dimmers, enabling further efficiencies while helping to create the desired atmosphere.

Product data

General information	
Cap-Base	E14 [E14]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	25000 h
Switching Cycle	50000X
Flux measurement reference	Sphere
Light technical	
Color Code	822-827 [tunable warm white]
Luminous Flux (Nom)	806 lm
Color Designation	Warm Glow(WG)
Correlated Color Temperature (Nom)	2200 2700 K
Luminous Efficacy (rated) (Nom)	100.00 lm/W
Color Consistency	<6

Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	8 W
Lamp Current (Nom)	37 mA
Wattage Equivalent	60 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.9
Voltage (Nom)	220-240 V

MASTER Plastic LEDcandles & lusters

Temperature

T-Case Maximum (Nom)	80 °C
----------------------	-------

Controls and dimming

Dimmable	Only with specific dimmers
----------	----------------------------

Mechanical and housing

Bulb Finish	Clear
Bulb Shape	B40 [B 40mm]


Approval and application

Energy Efficiency Class	F
Energy Consumption kWh/1000 h	8 kWh
EPREL Registration Number	614863

Product data

Full product code	871951430640000
Order product name	MASTER LEDcandle DT 8-60W B40 E14 827 CL
EAN/UPC - Product	8719514306400
Order code	929002491702
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929002491702
Net Weight (Piece)	0.084 kg



Dimensional drawing



MASTER LEDcandle DT 8-60W B40 E14 827 CL

Product	D	C
MASTER LEDcandle DT 8-60W B40 E14 827 CL	42 mm	127 mm

Photometric data




LEDcandle MAS SLR1 8W B40 E14 827 CL-GUL

LEDcandle MAS SLR1 8W B40 E14 827 CL-POC


MASTER Plastic LEDcandles & lusters

Photometric data




LEDcandle MAS SLR1 B40 8W E14 827 CL-LDD

Lifetime



LEDspots LED 25K



LEDspots LMP 25K

