



Essential LEDspot GU10

LEDspot 70W AR111GU10 865 220-240V 30DND

Essential LEDspots are compatible with most existing fixtures with a GU10 socket and are designed as a retrofit replacement for halogen spots. Essential LEDspots deliver significant energy savings and minimize initial investment.

Product data

General information	
Cap-Base	GU10 [GU10]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	25000 h
Switching Cycle	50000X
Light technical	
Color Code	865 [CCT of 6500K]
Beam Angle (Nom)	30 °
Luminous Flux (Nom)	1100 lm
Luminous Intensity (Nom)	3500 cd
Color Designation	Cool Daylight
Correlated Color Temperature (Nom)	6500 K
Luminous Efficacy (rated) (Nom)	91.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	12 W


Lamp Current (Nom)	90 mA
Wattage Equivalent	70 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.5
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	70 °C
Controls and dimming	
Dimmable	No
Mechanical and housing	
Bulb Shape	AR111
Approval and application	
Suitable For Accent Lighting	Yes
Product data	
Full product code	871951430782700

Essential LEDspot GU10

Order product name	LEDspot 70W AR111GU10 865 220-240V 30DND
EAN/UPC - Product	8719514307827
Order code	929002499712
Numerator - Quantity Per Pack	1

Numerator - Packs per outer box	6
Material Nr. (12NC)	929002499712
Net Weight (Piece)	0.160 kg


Dimensional drawing




LEDspot 70W AR111GU10 865 220-240V 30DND

Product	D	C
LEDspot 70W AR111GU10 865 220-240V 30DND	111 mm	65 mm


Photometric data



LEDspots LATAM1 12W AR111 GU10 865 30D-ADL



LEDspots LATAM1 12W AR111 GU10 865 30D-LDD



LEDspots LATAM1 12W AR111 GU10 865 30D-POC

Essential LEDspot GU10

Lifetime



LEDspots LED 25K

LEDspots LMP 25K

