



CorePro LEDspot MV

ESS LEDspot 10W 1150lm E27 R80 827

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. These GU10 LED spot lights are compatible with most existing fixtures with a GU10 LED base and are designed as a retrofit replacement for halogen or incandescent spots. CorePro LEDspots deliver significant energy savings and minimize maintenance costs.

Product data


General information		Starting Time (Nom)	
Cap-Base	E27 [E27]		0.5 s
EU RoHS compliant	Yes	Power Factor (Nom)	0.51
Nominal Lifetime (Nom)	15000 h	Voltage (Nom)	220-240 V
Switching Cycle	50000X		
Light technical		Temperature	
Color Code	827 [CCT of 2700K]	T-Case Maximum (Nom)	85 °C
Beam Angle (Nom)	120 °		
Luminous Flux (Nom)	1150 lm	Controls and dimming	
Color Designation	Warm White (WW)	Dimmable	No
Correlated Color Temperature (Nom)	2700 K		
Luminous Efficacy (rated) (Nom)	115.00 lm/W	Mechanical and housing	
Color Consistency	<6	Bulb Finish	Frosted
Color Rendering Index (Nom)	80	Bulb Shape	R80 [R 80mm]
LLMF At End Of Nominal Lifetime (Nom)	70 %		
Operating and electrical		Approval and application	
Input Frequency	50 to 60 Hz	Suitable For Accent Lighting	No
Power (Nom)	10 W	Energy Consumption kWh/1000 h	10 kWh
Lamp Current (Nom)	85 mA		
Wattage Equivalent	80 W	Product data	
		Full product code	871951431204300
		Order product name	ESS LEDspot 10W 1150lm E27 R80 827
		EAN/UPC - Product	8719514312043

CorePro LEDspot MV

Order code	929002966187
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	12
Material Nr. (12NC)	929002966187

Net Weight (Piece)	0.036 kg
--------------------	----------



Dimensional drawing



ESS LEDspot 10W 1150lm E27 R80 827

Product	D	C
ESS LEDspot 10W 1150lm E27 R80 827	80 mm	115 mm


Photometric data



LEDspot 10W 1150lm E27 R80 827

LEDspots ESS 10W R80 E27 827 120D-POC


LEDspots ESS 10W R80 E27 827 120D-GUL



LEDspots ESS 10W R80 E27 827 120D-LDD

CorePro LEDspot MV

Lifetime



Life Expectancy Diagram

Lumen Maintenance Diagram

