



Master Value Decorative LED candles and lusters

MAS VLE LEDCandleD2.5-15WE14 B35GOLDSP G

The new Deco collection (candles and lusters) transforms your home with a perfect blend of (warm) white light and a lean, minimalistic lighting experience. With very long lifetime, up to 90% energy savings, no flickering and an instant full level brightness, you will also enjoy soft and evenly distributed light with that trendy and stylish charm for a welcoming harmony in your space.

Product data

General Information	
Lighting Technology	LED
Switching Cycle	20,000
Nominal lifetime	15,000 hour(s)
Cap-Base	E14 [E14]

Light Technical	
Color Code	818 [CCT of 1800K]
Luminous Flux	136 lumen
Color Designation	1800
Correlated Color Temperature (Nom)	1800 K
Luminous Efficacy (rated) (Nom)	54.00 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Flickering value (PstLM)	1

Stroboscopic effect value (SVM)	0.4
---------------------------------	-----

Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	2.5 W
Lamp Current (Nom)	14 mA
Wattage Equivalent	15 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.7
Voltage (Nom)	220-240 V

Temperature	
T-Case Maximum (Nom)	38 °C

Master Value Decorative LED candles and lusters

Controls and Dimming

Dimmable	Yes
----------	-----

Mechanical and Housing

Bulb Finish	Amber
Bulb Shape	B35 [B 35mm]

Approval and Application


Energy Consumption kWh/1000 h	3 kWh
CE mark	Yes
EU RoHS compliant	Yes

Product Data

Full product code	871951431603400
-------------------	-----------------



Order product name	MAS VLE LEDCandleD2.5-15WE14 B35GOLDSP G
Order code	929002983202
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material number (12NC)	929002983202
Full product name	MAS VLE LEDCandleD2.5-15WE14 B35GOLDSP G
EAN/UPC - Case	8719514316041

Dimensional drawing



Product	D	C
MAS VLE LEDCandleD2.5-15WE14 B35GOLDSP G	36 mm	95 mm

Photometric data




General uniform lighting - MAS VLE LEDCandleD2.5-15WE14 B35GOLDSP G

Light Distribution Diagram - MAS VLE LEDCandleD2.5-15WE14 B35GOLDSP G

Master Value Decorative LED candles and lusters

Photometric data




Spectral Power Distribution Colour - MAS VLE LEDCandleD2.5-15WE14
B35GOLDSP G

Lifetime



Life Expectancy Diagram - MAS VLE LEDCandleD2.5-15WE14 B35GOLDSP G



Lumen Maintenance Diagram - MAS VLE LEDCandleD2.5-15WE14
B35GOLDSP G

