PHILIPS Lighting



LED Corn Cobs

45CC/LED/830/LS EX39 G3 BB 3/1

Philips Corn Cob HID replacement lamps are perfect LED replacement for a variety of outdoor applications. High intensity illumination, which means you get added visibility for applications like streets, public areas, and much more for a fraction of the energy used by conventional HID.


Product data

General information	
Cap-Base	EX39 [Exclusionary Mogul Screw]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	50000 h
Switching Cycle	50000X
Light technical	
Color Code	830 [CCT of 3000K]
Luminous Flux (Nom)	6200 lm
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	137.00 lm/W
Color Consistency	ANSI 3000K quadrangle
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	45 W
Lamp Current (Nom)	500 mA
Wattage Equivalent	175 W
Starting Time (Nom)	1 s
Warm Up Time to 60% Light (Nom)	1 s

UL Type	Type B - bypass the ballast
Power Factor (Nom)	0.9
Voltage (Nom)	100-277 V
Temperature	
T-Case Maximum (Nom)	60 °C
Controls and dimming	
Dimmable	Preset Dimming
Mechanical and housing	
Bulb Finish	Clear
Bulb Shape	Corncob
Product data	
Order product name	45CC/LED/830/LS EX39 G3 BB 3/1
EAN/UPC - Product	046677564179
Order code	929002999204
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	3
Material Nr. (12NC)	929002999204
Net Weight (Piece)	0.777 kg

LED Corn Cobs


Dimensional drawing




45CC/LED/830/LS EX39 G3 BB 3/1 85 mm 2	
43CC/LED/630/LS EX39 G3 BB 3/1 63 IIIII 2	245 mm

45CC/LED/830/LS EX39 G3 BB 3/1


Photometric data





LEDTForce LS EX39 45W Corncob EX39-LDD


LEDTForce LS EX39 45W Corncob EX39 830-GUL



LEDTForce LS EX39 36W Corncob EX39 830-POC

LED Corn Cobs

Lifetime





© 2022 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2022, January 5 - data subject to change