



A-Shape LED

5.5A19/LED/950/FR/P/E26/ND 4/2CT

Philips A-shape LED lamps are the LED alternative to standard incandescents. It provides beautiful light and dependable performance you expect from LED at an affordable price.


Product data

General information		Warm Up Time to 60% Light (Nom)	
Cap-Base	E26 [Single Contact Medium Screw]		0.5 s
EU RoHS compliant	Yes	Power Factor (Nom)	0.5
Nominal Lifetime (Nom)	11000 h	Voltage (Nom)	120 V
Switching Cycle	50000X	Temperature	
Technical Type	LEDETECH-LOV	T-Case Maximum (Nom)	75 °C
Light technical		Controls and dimming	
Color Code	950 [CCT of 5000K]	Dimmable	No
Beam Angle (Nom)	150 °	Mechanical and housing	
Luminous Flux (Nom)	450 lm	Bulb Finish	Frosted
Color Designation	Daylight	Bulb Shape	A19 (A19)
Correlated Color Temperature (Nom)	5000 K	Approval and application	
Luminous Efficacy (rated) (Nom)	81.00 lm/W	Energy Certifications	No
Color Consistency	<6	Product data	
Color Rendering Index (Nom)	90	Order product name	5.5A19/LED/950/FR/P/E26/ND 4/2CT
LLMF At End Of Nominal Lifetime (Nom)	0.7 %	EAN/UPC - Product	50046677565430
Operating and electrical		Order code	929003004703
Input Frequency	60 Hz	Numerator - Quantity Per Pack	1
Power (Nom)	5.5 W	Numerator - Packs per outer box	4
Lamp Current (Nom)	77 mA	Material Nr. (12NC)	929003004703
Wattage Equivalent	40 W		
Starting Time (Nom)	0.5 s		

A-Shape LED

Net Weight (Piece)	0.030 kg
--------------------	----------


Dimensional drawing




5.5A19/LED/950/FR/P/E26/ND 4/2CT

Product	D	C
5.5A19/LED/950/FR/P/E26/ND 4/2CT	60 mm	104 mm


Photometric data



LEDbulb G6 A19 5W E26 950 FR-LDD




LEDbulb G6 5W A19 E26 950 FR-POC



LEDbulb G6 5W A19 E26 950 FR-GUL

A-Shape LED

Lifetime



10K

10K

