



A-Shape LED

5A19/LED/950/FR/P/ND 4/1FB

Philips A-shape LED lamps are the LED alternative to standard incandescents. It provides beautiful light and dependable performance you expect from LED at an affordable price.


Product data

| General information | | Power Factor (Nom) | |
|---------------------------------------|------------------------------------|---------------------------------|----------------------------|
| Cap-Base | E26 [Single Contact Medium Screw] | | 0.5 |
| EU RoHS compliant | Yes | Voltage (Nom) | 120 V |
| Nominal Lifetime (Nom) | 11000 h | Temperature | |
| Switching Cycle | 50000X | T-Case Maximum (Nom) | 75 °C |
| Light technical | | Controls and dimming | |
| Color Code | 950 [CCT of 5000K] | Dimmable | No |
| Beam Angle (Nom) | 150 ° | Mechanical and housing | |
| Luminous Flux (Nom) | 450 lm | Bulb Finish | Frosted |
| Color Designation | Daylight | Bulb Material | Plastic |
| Correlated Color Temperature (Nom) | 5000 K | Bulb Shape | A19 (A19) |
| Luminous Efficacy (rated) (Nom) | 90.00 lm/W | Approval and application | |
| Color Consistency | <6 | Energy Certifications | No |
| Color Rendering Index (Nom) | 90 | Product data | |
| LLMF At End Of Nominal Lifetime (Nom) | 70 % | Order product name | 5A19/LED/950/FR/P/ND 4/1FB |
| Operating and electrical | | EAN/UPC - Product | 046677565107 |
| Input Frequency | 60 Hz | Order code | 929003004704 |
| Power (Nom) | 5 W | Numerator - Quantity Per Pack | 1 |
| Lamp Current (Nom) | 77 mA | Numerator - Packs per outer box | 4 |
| Wattage Equivalent | 40 W | Material Nr. (12NC) | 929003004704 |
| Starting Time (Nom) | 0.5 s | | |
| Warm Up Time to 60% Light (Nom) | 0.5 s | | |

A-Shape LED

Net Weight (Piece) 0.060 kg


Dimensional drawing




5A19/LED/950/FR/P/ND 4/1FB

| Product | D | C |
|----------------------------|-------|--------|
| 5A19/LED/950/FR/P/ND 4/1FB | 60 mm | 104 mm |


Photometric data



LEDbulb G6 A19 5W E26 950 FR-LDD



LEDbulb G6 5W A19 E26 950 FR-POC




General Uniform Lighting 1 x 1000mm x 1000mm Page 11

LEDbulb G6 5W A19 E26 950 FR-GUL

A-Shape LED

Lifetime



10K

10K

